

MODEL	Control	Digits	Heigh character mm	Lines	Sides	Measures in mm	Progr.	From PC	
DT-203X	ALPHANUMERICAL LED. INDOORS						RS-232/485		
DT-203/2SX	Serial	20	30	2	1	615x170x120		Yes	
DT-203/2DX	Serial	20	30	2	2	615x170x120		Yes	
DT-203/4SX	Serial	20	30	4	1	615x317x120		Yes	
DT-203/4DX	Serial	20	30	4	1	615x317x120		Yes	
DT-203/6SX	Serial	20	30	6	1	615x464x120		Yes	
DT-203/6DX	Serial	20	30	6	1	615x464x120		Yes	
DT-203/8SX	Serial	20	30	8	1	615x611x120		Yes	
DT-203/8DX	Serial	20	30	8	1	615x611x120		Yes	

DT-105X	ALPHANUMERICAL LED. INDOORS						RS-232/485		
DT-105/1SX	Serial	20	50	1	1	985x118x120		Yes	
DT-105/1DX	Serial	20	50	1	2	985x118x120		Yes	
DT-105/2SX	Serial	20	50	2	1	985x224x120		Yes	
DT-105/2DX	Serial	20	50	2	2	985x224x120		Yes	
DT-105/3SX	Serial	20	50	3	1	985x330x120		Yes	
DT-105/3DX	Serial	20	50	3	2	985x330x120		Yes	
DT-105/4SX	Serial	20	50	4	1	985x436x120		Yes	
DT-105/4DX	Serial	20	50	4	2	985x436x120		Yes	
DT-105/5SX	Serial	20	50	5	1	985x542x120		Yes	
DT-105/5DX	Serial	20	50	5	2	985x542x120		Yes	
DT-105/6SX	Serial	20	50	6	1	985x648x120		Yes	
DT-105/6DX	Serial	20	50	6	2	985x648x120		Yes	
DT-105/7SX	Serial	20	50	7	1	985x754x120		Yes	
DT-105/7DX	Serial	20	50	7	2	985x754x120		Yes	
DT-105/8SX	Serial	20	50	8	1	985x860x120		Yes	
DT-105/8DX	Serial	20	50	8	2	985x860x120		Yes	
DT-105/1SX-6	Serial	6	50	1	1	375x118x120		Yes	
DT-105/1DX-6	Serial	6	50	1	2	375x118x120		Yes	
DT-105/1SX-13	Serial	13	50	1	1	680x118x120		Yes	
DT-105/1DX-13	Serial	13	50	1	2	680x118x120		Yes	
DT-105/2SX-6	Serial	6	50	2	1	375x224x120		Yes	
DT-105/2DX-6	Serial	6	50	2	2	375x224x120		Yes	
DT-105/2SX-13	Serial	13	50	2	1	680x224x120		Yes	
DT-105/2DX-13	Serial	13	50	2	2	680x224x120		Yes	

DT-106X	ALPHANUMERICAL LED. OUTDOORS						RS-232/485		
DT-106/2SX	Serial	20	50	2	1	985x224x120		Yes	
DT-106/2DX	Serial	20	50	2	2	985x224x120		Yes	
DT-106/3SX	Serial	20	50	3	1	985x330x120		Yes	
DT-106/3DX	Serial	20	50	3	2	985x330x120		Yes	
DT-106/4SX	Serial	20	50	4	1	985x436x120		Yes	
DT-106/4DX	Serial	20	50	4	2	985x436x120		Yes	
DT-106/5SX	Serial	20	50	5	1	985x542x120		Yes	
DT-106/5DX	Serial	20	50	5	2	985x542x120		Yes	
DT-106/6SX	Serial	20	50	6	1	985x648x120		Yes	
DT-106/6DX	Serial	20	50	6	2	985x648x120		Yes	
DT-106/7SX	Serial	20	50	7	1	985x754x120		Yes	
DT-106/7DX	Serial	20	50	7	2	985x754x120		Yes	
DT-106/8SX	Serial	20	50	8	1	985x860x120		Yes	
DT-106/8DX	Serial	20	50	8	2	985x860x120		Yes	
DT-106/2SX-6	Serial	6	50	2	1	375x224x120		Yes	
DT-106/2DX-6	Serial	6	50	2	2	375x224x120		Yes	
DT-106/2SX-13	Serial	13	50	2	1	680x224x120		Yes	
DT-106/2DX-13	Serial	13	50	2	2	680x224x120		Yes	

MODEL	Control	Digits	Heigh character mm	Lines	Sides	Measures in mm	Progr. From PC	
DT-110X		ALPHANUMERICAL LED. INDOORS				RS-232/485		
DT-110/1SX	Serial	20	100	1	1	1886x165x120	Yes	
DT-110/1DX	Serial	20	100	1	2	1886x165x120	Yes	
DT-110/2SX	Serial	20	100	2	1	1886x378x120	Yes	
DT-110/2DX	Serial	20	100	2	2	1886x378x120	Yes	
DT-110/3SX	Serial	20	100	3	1	1886x591x120	Yes	
DT-110/3DX	Serial	20	100	3	2	1886x591x120	Yes	
DT-110/4SX	Serial	20	100	4	1	1886x805x120	Yes	
DT-110/4DX	Serial	20	100	4	2	1886x805x120	Yes	
DT-110/5SX	Serial	20	100	5	1	1886x1018x120	Yes	
DT-110/5DX	Serial	20	100	5	2	1886x1018x120	Yes	
DT-110/6SX	Serial	20	100	6	1	1886x1232x120	Yes	
DT-110/6DX	Serial	20	100	6	2	1886x1232x120	Yes	
DT-110/7SX	Serial	20	100	7	1	1886x1445x120	Yes	
DT-110/7DX	Serial	20	100	7	2	1886x1445x120	Yes	
DT-110/8SX	Serial	20	100	8	1	1886x1659x120	Yes	
DT-110/8DX	Serial	20	100	8	2	1886x1659x120	Yes	
DT-110/1SX-6	Serial	6	100	1	1	666x165x120	Yes	
DT-110/1DX-6	Serial	6	100	1	2	666x165x120	Yes	
DT-110/1SX-13	Serial	13	100	1	1	666x165x120	Yes	
DT-110/1DX-13	Serial	3	100	1	2	666x165x120	Yes	
DT-110/2SX-6	Série	6	100	2	1	1276x378x120	Si	
DT-110/2DX-6	Série	6	100	2	2	1276x378x120	Si	
DT-110/2SX-13	Serial	13	100	2	1	1276x378x120	Yes	
DT-110/2DX-13	Serial	13	100	2	2	1276x378x120	Yes	

DT-111X		ALPHANUMERICAL LED. OUTDOORS				RS-232/485		
DT-111/2SX	Serial	20	100	2	1	1886x378x120	Yes	
DT-111/2DX	Serial	20	100	2	2	1886x378x120	Yes	
DT-111/3SX	Serial	20	100	3	1	1886x591x120	Yes	
DT-111/3DX	Serial	20	100	3	2	1886x591x120	Yes	
DT-111/4SX	Serial	20	100	4	1	1886x805x120	Yes	
DT-111/4DX	Serial	20	100	4	2	1886x805x120	Yes	
DT-111/5SX	Serial	20	100	5	1	1886x1018x120	Yes	
DT-111/5DX	Serial	20	100	5	2	1886x1018x120	Yes	
DT-111/6SX	Serial	20	100	6	1	1886x1232x120	Yes	
DT-111/6DX	Serial	20	100	6	2	1886x1232x120	Yes	
DT-111/7SX	Serial	20	100	7	1	1886x1445x120	Yes	
DT-111/7DX	Serial	20	100	7	2	1886x1445x120	Yes	
DT-111/8SX	Serial	20	100	8	1	1886x1659x120	Yes	
DT-111/8DX	Serial	20	100	8	1	1886x1659x120	Yes	
DT-111/2SX-6	Série	13	100	2	1	1276x378x120	Si	
DT-111/2DX-6	Série	13	100	2	2	1276x378x120	Si	
DT-111/2SX-13	Serial	13	100	2	1	1276x378x120	Yes	
DT-111/2DX-13	Serial	13	100	2	2	1276x378x120	Yes	

DT-203eX		ALPHANUMERICAL LED. IP65				RS-232/485		
DT-203e/2SX	Serial	20	30	2	1	615x170x120	Yes	
DT-203e/2DX	Serial	20	30	2	2	615x170x120	Yes	

DT-105eX		ALPHANUMERICAL LED. IP65				RS-232/485		
DT-105e/1SX	Serial	20	50	1	1	985x118x120	Yes	
DT-105e/1DX	Serial	20	50	1	2	985x118x120	Yes	
DT-105e/1SX-6	Serial	6	50	1	1	375x118x120	Yes	
DT-105e/1DX-6	Serial	6	50	1	2	375x118x120	Yes	
DT-105e/1SX-13	Serial	13	50	1	1	680x118x120	Yes	
DT-105e/1DX-13	Serial	13	50	1	2	680x118x120	Yes	

DT-106eX		ALPHANUMERICAL LED. IP65				RS-232/485		
DT-106e/1SX	Serial	20	50	1	1	985x118x120	Yes	
DT-106e/1DX	Serial	20	50	1	2	985x118x120	Yes	
DT-106e/1SX-6	Serial	6	50	1	1	375x118x120	Yes	
DT-106e/1DX-6	Serial	6	50	1	2	375x118x120	Yes	
DT-106e/1SX-13	Serial	13	50	1	1	680x118x120	Yes	
DT-106e/1DX-13	Serial	13	50	1	2	680x118x120	Yes	

MODEL	Control	Digits	Heigh character mm	Lines	Sides	Measures in mm	Progr. From PC	
DT-110eX		ALPHANUMERICAL LED. IP65					RS-232/485	
DT-110e/1SX	Serial	20	100	1	1	1886x165x120	Yes	
DT-110e/1DX	Serial	20	100	1	2	1886x165x120	Yes	
DT-110e/1SX-6	Serial	6	100	1	1	666x165x120	Yes	
DT-110e/1DX-6	Serial	6	100	1	2	666x165x120	Yes	
DT-110e/1SX-13	Serial	13	100	1	1	1276x165x120	Yes	
DT-110e/1DX-13	Serial	13	100	1	2	1276x165x120	Yes	
DT-111eX		ALPHANUMERICAL LED. IP65					RS-232/485	
DT-111e/1SX	Serial	20	100	1	1	1886x165x120	Yes	
DT-111e/1DX	Serial	20	100	1	2	1886x165x120	Yes	
DT-111e/1SX-6	Serial	6	100	1	1	666x165x120	Yes	
DT-111e/1DX-6	Serial	6	100	1	2	666x165x120	Yes	
DT-111e/1SX-13	Serial	13	100	1	1	1276x165x120	Yes	
DT-111e/1DX-13	Serial	13	100	1	2	1276x165x120	Yes	
+TH	OPTION RELATIVE HUMIDITY AND TEMPERATURE (+TH)							
+TH	OPTION RELATIVE HUMIDITY AND TEMPERATURE IP65. (+TH)							
+24V	Option: Power supply 24Vcc							

MODEL	Control	Digits	Heigh character mm	Lines	Sides	Measures in mm	Progr. From PC	
DT-203P		ALPHANUMERICAL LED. INDOORS					BINARY	
DT-203/2SP	Binary	20	30	2	1	615x170x120	Yes	
DT-203/2DP	Binary	20	30	2	2	615x170x120	Yes	
DT-203/4SP	Binary	20	30	4	1	615x317x120	Yes	
DT-203/4DP	Binary	20	30	4	1	615x317x120	Yes	
DT-203/6SP	Binary	20	30	6	1	615x464x120	Yes	
DT-203/6DP	Binary	20	30	6	1	615x464x120	Yes	
DT-105P		ALPHANUMERICAL LED. INDOORS					BINARY	
DT-105/1SP	Binary	20	50	1	1	985x118x120	Yes	
DT-105/1DP	Binary	20	50	1	2	985x118x120	Yes	
DT-105/2SP	Binary	20	50	2	1	985x224x120	Yes	
DT-105/2DP	Binary	20	50	2	2	985x224x120	Yes	
DT-105/3SP	Binary	20	50	3	1	985x330x120	Yes	
DT-105/3DP	Binary	20	50	3	2	985x330x120	Yes	
DT-105/4SP	Binary	20	50	4	1	985x436x120	Yes	
DT-105/4DP	Binary	20	50	4	2	985x436x120	Yes	
DT-105/5SP	Binary	20	50	5	1	985x542x120	Yes	
DT-105/5DP	Binary	20	50	5	2	985x542x120	Yes	
DT-105/6SP	Binary	20	50	6	1	985x648x120	Yes	
DT-105/6DP	Binary	20	50	6	2	985x648x120	Yes	
DT-106P		ALPHANUMERICAL LED. OUTDOORS					BINARY	
DT-106/2SP	Binary	20	50	2	1	985x224x120	Yes	
DT-106/2DP	Binary	20	50	2	2	985x224x120	Yes	
DT-106/3SP	Binary	20	50	3	1	985x330x120	Yes	
DT-106/3DP	Binary	20	50	3	2	985x330x120	Yes	
DT-106/4SP	Binary	20	50	4	1	985x436x120	Yes	
DT-106/4DP	Binary	20	50	4	2	985x436x120	Yes	
DT-106/5SP	Binary	20	50	5	1	985x542x120	Yes	
DT-106/5DP	Binary	20	50	5	2	985x542x120	Yes	
DT-106/6SP	Binary	20	50	6	1	985x648x120	Yes	
DT-106/6DP	Binary	20	50	6	2	985x648x120	Yes	
DT-110P		ALPHANUMERICAL LED. INDOORS					BINARY	
DT-110/1SP	Binary	20	100	1	1	1886x165x120	Yes	
DT-110/1DP	Binary	20	100	1	2	1886x165x120	Yes	
DT-110/2SP	Binary	20	100	2	1	1886x378x120	Yes	
DT-110/2DP	Binary	20	100	2	2	1886x378x120	Yes	
DT-110/3SP	Binary	20	100	3	1	1886x591x120	Yes	
DT-110/3DP	Binary	20	100	3	2	1886x591x120	Yes	
DT-110/4SP	Binary	20	100	4	1	1886x805x120	Yes	
DT-110/4DP	Binary	20	100	4	2	1886x805x120	Yes	
DT-110/5SP	Binary	20	100	5	1	1886x1018x120	Yes	
DT-110/5DP	Binary	20	100	5	2	1886x1018x120	Yes	
DT-110/6SP	Binary	20	100	6	1	1886x1232x120	Yes	
DT-110/6DP	Binary	20	100	6	2	1886x1232x120	Yes	
DT-111P		ALPHANUMERICAL LED. OUTDOORS					BINARY	
DT-111/2SP	Binary	20	100	2	1	1886x378x120	Yes	
DT-111/2DP	Binary	20	100	2	2	1886x378x120	Yes	
DT-111/3SP	Binary	20	100	3	1	1886x591x120	Yes	
DT-111/3DP	Binary	20	100	3	2	1886x591x120	Yes	
DT-111/4SP	Binary	20	100	4	1	1886x805x120	Yes	
DT-111/4DP	Binary	20	100	4	2	1886x805x120	Yes	
DT-111/5SP	Binary	20	100	5	1	1886x1018x120	Yes	
DT-111/5DP	Binary	20	100	5	2	1886x1018x120	Yes	
DT-111/6SP	Binary	20	100	6	1	1886x1232x120	Yes	
DT-111/6DP	Binary	20	100	6	2	1886x1232x120	Yes	

MODEL	Control	Digits	Heigh character mm	Lines	Sides	Measures in mm	Progr. From PC
DT-203eP	ALPHANUMERICAL LED. IP65						BINARY
DT-203e/2SP	Binary	20	30	2	1	615x170x120	Yes
DT-203e/2DP	Binary	20	30	2	2	615x170x120	Yes
DT-105eP	ALPHANUMERICAL LED. IP65						BINARY
DT-105e/1SP	Binary	20	50	1	1	985x118x120	Yes
DT-105e/1DP	Binary	20	50	1	2	985x118x120	Yes
DT-106eP	ALPHANUMERICAL LED. IP65						BINARY
DT-106e/1SP	Binary	20	50	1	1	985x118x120	Yes
DT-106e/1DP	Binary	20	50	1	2	985x118x120	Yes
DT-110eP	ALPHANUMERICAL LED. IP65						BINARY
DT-110e/1SP	Binary	20	100	1	1	1886x165x120	Yes
DT-110e/1DP	Binary	20	100	1	2	1886x165x120	Yes
DT-111eP	ALPHANUMERICAL LED. IP65						BINARY
DT-111e/1SP	Binary	20	100	1	1	1886x165x120	Yes
DT-111e/1DP	Binary	20	100	1	2	1886x165x120	Yes
+TH	OPTION RELATIVE HUMIDITY AND TEMPERATURE (+TH)						
+TH	OPTION RELATIVE HUMIDITY AND TEMPERATURE IP65. (+TH)						
+24V	Option: Power supply 24Vcc						

MODEL	Control	Digits	Heigh character mm	Lines	Sides	Measures in mm	Progr. From PC
-------	---------	--------	--------------------	-------	-------	----------------	----------------

DT-203NE ALPHANUMERICAL LED. INDOORS							Ethernet
DT-203/2SNE	Ethernet	20	30	2	1	615x170x120	Yes
DT-203/2DNE	Ethernet	20	30	2	2	615x170x120	Yes
DT-203/4SNE	Ethernet	20	30	4	1	615x317x120	Yes
DT-203/4DNE	Ethernet	20	30	4	1	615x317x120	Yes
DT-203/6SNE	Ethernet	20	30	6	1	615x464x120	Yes
DT-203/6DNE	Ethernet	20	30	6	1	615x464x120	Yes
DT-203/8SNE	Ethernet	20	30	8	1	615x611x120	Yes
DT-203/8DNE	Ethernet	20	30	8	1	615x611x120	Yes

DT-105NE ALPHANUMERICAL LED. INDOORS							Ethernet
DT-105/1SNE	Ethernet	20	50	1	1	985x118x120	Yes
DT-105/1DNE	Ethernet	20	50	1	2	985x118x120	Yes
DT-105/2SNE	Ethernet	20	50	2	1	985x224x120	Yes
DT-105/2DNE	Ethernet	20	50	2	2	985x224x120	Yes
DT-105/3SNE	Ethernet	20	50	3	1	985x330x120	Yes
DT-105/3DNE	Ethernet	20	50	3	2	985x330x120	Yes
DT-105/4SNE	Ethernet	20	50	4	1	985x436x120	Yes
DT-105/4DNE	Ethernet	20	50	4	2	985x436x120	Yes
DT-105/5SNE	Ethernet	20	50	5	1	985x542x120	Yes
DT-105/5DNE	Ethernet	20	50	5	2	985x542x120	Yes
DT-105/6SNE	Ethernet	20	50	6	1	985x648x120	Yes
DT-105/6DNE	Ethernet	20	50	6	2	985x648x120	Yes
DT-105/7SNE	Ethernet	20	50	7	1	985x754x120	Yes
DT-105/7DNE	Ethernet	20	50	7	2	985x754x120	Yes
DT-105/8SNE	Ethernet	20	50	8	1	985x860x120	Yes
DT-105/8DNE	Ethernet	20	50	8	2	985x860x120	Yes
DT-105/1SNE-6	Ethernet	6	50	1	1	375x118x120	Yes
DT-105/1DNE-6	Ethernet	6	50	1	2	375x118x120	Yes
DT-105/1SNE-13	Ethernet	13	50	1	1	680x118x120	Yes
DT-105/1DNE-13	Ethernet	13	50	1	2	680x118x120	Yes
DT-105/2SNE-6	Ethernet	6	50	2	1	375x224x120	Yes
DT-105/2DNE-6	Ethernet	6	50	2	2	375x224x120	Yes
DT-105/2SNE-13	Ethernet	13	50	2	1	680x224x120	Yes
DT-105/2DNE-13	Ethernet	13	50	2	2	680x224x120	Yes

DT-106NE ALPHANUMERICAL LED. OUTDOORS							Ethernet
DT-106/2SNE	Ethernet	20	50	2	1	985x224x120	Yes
DT-106/2DNE	Ethernet	20	50	2	2	985x224x120	Yes
DT-106/3SNE	Ethernet	20	50	3	1	985x330x120	Yes
DT-106/3DNE	Ethernet	20	50	3	2	985x330x120	Yes
DT-106/4SNE	Ethernet	20	50	4	1	985x436x120	Yes
DT-106/4DNE	Ethernet	20	50	4	2	985x436x120	Yes
DT-106/5SNE	Ethernet	20	50	5	1	985x542x120	Yes
DT-106/5DNE	Ethernet	20	50	5	2	985x542x120	Yes
DT-106/6SNE	Ethernet	20	50	6	1	985x648x120	Yes
DT-106/6DNE	Ethernet	20	50	6	2	985x648x120	Yes
DT-106/7SNE	Ethernet	20	50	7	1	985x754x120	Yes
DT-106/7DNE	Ethernet	20	50	7	2	985x754x120	Yes
DT-106/8SNE	Ethernet	20	50	8	1	985x860x120	Yes
DT-106/8DNE	Ethernet	20	50	8	2	985x860x120	Yes
DT-106/2SNE-6	Ethernet	6	50	2	1	375x224x120	Yes
DT-106/2DNE-6	Ethernet	6	50	2	2	375x224x120	Yes
DT-106/2SNE-13	Ethernet	13	50	2	1	680x224x120	Yes
DT-106/2DNE-13	Ethernet	13	50	2	2	680x224x120	Yes
DT-106/3SNE-6	Ethernet	6	50	2	1	375x330x120	Yes
DT-106/3DNE-6	Ethernet	6	50	2	2	375x330x120	Yes
DT-106/3SNE-13	Ethernet	13	50	2	1	680x330x120	Yes
DT-106/3DNE-13	Ethernet	13	50	2	2	680x330x120	Yes
DT-106/4SNE-6	Ethernet	6	50	2	1	375x436x120	Yes
DT-106/4DNE-6	Ethernet	6	50	2	2	375x436x120	Yes
DT-106/4SNE-13	Ethernet	13	50	2	1	680x436x120	Yes
DT-106/4DNE-13	Ethernet	13	50	2	2	680x436x120	Yes

MODEL	Control	Digits	Heigh character mm	Lines	Sides	Measures in mm	Progr. From PC
-------	---------	--------	--------------------	-------	-------	----------------	----------------

DT-110NE ALPHANUMERICAL LED. INDOORS							Ethernet
DT-110/1SNE	Serial	20	100	1	1	1886x165x120	Yes
DT-110/1DNE	Serial	20	100	1	2	1886x165x120	Yes
DT-110/2SNE	Serial	20	100	2	1	1886x378x120	Yes
DT-110/2DNE	Serial	20	100	2	2	1886x378x120	Yes
DT-110/3SNE	Serial	20	100	3	1	1886x591x120	Yes
DT-110/3DNE	Serial	20	100	3	2	1886x591x120	Yes
DT-110/4SNE	Serial	20	100	4	1	1886x805x120	Yes
DT-110/4DNE	Serial	20	100	4	2	1886x805x120	Yes
DT-110/5SNE	Serial	20	100	5	1	1886x1018x120	Yes
DT-110/5DNE	Serial	20	100	5	2	1886x1018x120	Yes
DT-110/6SNE	Serial	20	100	6	1	1886x1232x120	Yes
DT-110/6DNE	Serial	20	100	6	2	1886x1232x120	Yes
DT-110/7SNE	Serial	20	100	7	1	1886x1445x120	Yes
DT-110/7DNE	Serial	20	100	7	2	1886x1445x120	Yes
DT-110/8SNE	Serial	20	100	8	1	1886x1659x120	Yes
DT-110/8DNE	Serial	20	100	8	2	1886x1659x120	Yes
DT-110/1SNE-6	Serial	6	100	1	1	666x165x120	Yes
DT-110/1DNE-6	Serial	6	100	1	2	666x165x120	Yes
DT-110/1SNE-13	Serial	13	100	1	1	1276x165x120	Yes
DT-110/1DNE-13	Serial	13	100	1	2	1276x165x120	Yes
DT-110/2SNE-6	Serial	6	100	2	1	666x378x120	Yes
DT-110/2DNE-6	Serial	6	100	2	2	666x378x120	Yes
DT-110/2SNE-13	Serial	13	100	2	1	1276x378x120	Yes
DT-110/2DNE-13	Serial	13	100	2	2	1276x378x120	Yes

DT-111NE ALPHANUMERICAL LED. OUTDOORS							Ethernet
DT-111/2SNE	Serial	20	100	2	1	1886x378x120	Yes
DT-111/2DNE	Serial	20	100	2	2	1886x378x120	Yes
DT-111/3SNE	Serial	20	100	3	1	1886x591x120	Yes
DT-111/3DNE	Serial	20	100	3	2	1886x591x120	Yes
DT-111/4SNE	Serial	20	100	4	1	1886x805x120	Yes
DT-111/4DNE	Serial	20	100	4	2	1886x805x120	Yes
DT-111/5SNE	Serial	20	100	5	1	1886x1018x120	Yes
DT-111/5DNE	Serial	20	100	5	2	1886x1018x120	Yes
DT-111/6SNE	Serial	20	100	6	1	1886x1232x120	Yes
DT-111/6DNE	Serial	20	100	6	2	1886x1232x120	Yes
DT-111/7SNE	Serial	20	100	7	1	1886x1445x120	Yes
DT-111/7DNE	Serial	20	100	7	2	1886x1445x120	Yes
DT-111/8SNE	Serial	20	100	8	1	1886x1659x120	Yes
DT-111/8DNE	Serial	20	100	8	2	1886x1659x120	Yes
DT-111/2SNE-6	Serial	6	100	2	1	666x378x120	Yes
DT-111/2DNE-6	Serial	6	100	2	2	666x378x120	Yes
DT-111/2SNE-13	Serial	13	100	2	1	1276x378x120	Yes
DT-111/2DNE-13	Serial	13	100	2	2	1276x378x120	Yes

DT-203eNE ALPHANUMERICAL LED. IP65							Ethernet
DT-203e/2SNE	Ethernet	20	30	2	1	615x170x120	Yes
DT-203e/2DNE	Ethernet	20	30	2	2	615x170x120	Yes

DT-105eNE ALPHANUMERICAL LED. IP65							Ethernet
DT-105e/1SNE	Ethernet	20	50	1	1	985x118x120	Yes
DT-105e/1DNE	Ethernet	20	50	1	2	985x118x120	Yes
DT-105e/1SNE-6	Ethernet	6	50	1	1	375x118x120	Yes
DT-105e/1DNE-6	Ethernet	6	50	1	2	375x118x120	Yes
DT-105e/1SNE-13	Ethernet	13	50	1	1	680x118x120	Yes
DT-105e/1DNE-13	Ethernet	13	50	1	2	680x118x120	Yes

DT-106eNE ALPHANUMERICAL LED. IP65							Ethernet
DT-106e/1SNE	Ethernet	20	50	1	1	985x118x120	Yes
DT-106e/1DNE	Ethernet	20	50	1	2	985x118x120	Yes
DT-106e/1SNE-6	Ethernet	6	50	1	1	375x118x120	Yes
DT-106e/1DNE-6	Ethernet	6	50	1	2	375x118x120	Yes

MODEL	Control	Digits	Heigh character mm	Lines	Sides	Measures in mm	Progr. From PC
DT-106e/1SNE-13	Ethernet	13	50	1	1	680x118x120	Yes
DT-106e/1DNE-13	Ethernet	13	50	1	2	680x118x120	Yes

MODEL	Control	Digits	Heigh character mm	Lines	Sides	Measures in mm	Progr. From PC
-------	---------	--------	--------------------	-------	-------	----------------	----------------

DT-110eNE ALPHANUMERICAL LED. IP65							Ethernet
DT-110e/1SNE	Serial	20	100	1	1	1886x165x120	Yes
DT-110e/1DNE	Serial	20	100	1	2	1886x165x120	Yes
DT-110e/1SNE-6	Serial	6	100	1	1	666x165x120	Yes
DT-110e/1DNE-6	Serial	6	100	1	2	666x165x120	Yes
DT-110e/1SNE-13	Serial	13	100	1	1	1276x165x120	Yes
DT-110e/1DNE-13	Serial	13	100	1	2	1276x165x120	Yes

DT-111eNE ALPHANUMERICAL LED. IP65							Ethernet
DT-111e/1SNE	Serial	20	100	1	1	1886x165x120	Yes
DT-111e/1DNE	Serial	20	100	1	2	1886x165x120	Yes
DT-111e/1SNE-6	Serial	6	100	1	1	666x165x120	Yes
DT-111e/1DNE-6	Serial	6	100	1	2	666x165x120	Yes
DT-111e/1SNE-13	Serial	13	100	1	1	1276x165x120	Yes
DT-111e/1DNE-13	Serial	13	100	1	2	1276x165x120	Yes

+TH	OPTION RELATIVE HUMIDITY AND TEMPERATURE (+TH)
+TH	OPTION RELATIVE HUMIDITY AND TEMPERATURE IP65. (+TH)
+24V	Option: Power supply 24Vcc

MODEL	Control	Digits	Heigh character mm	Lines	Sides	Measures in mm	Progr.	From PC	
DT-203NP		ALPHANUMERICAL LED. INDOORS					Profibus DP		
DT-203/2SNP	Profibus DP	20	30	2	1	615x170x120	Yes		
DT-203/2DNP	Profibus DP	20	30	2	2	615x170x120	Yes		
DT-203/4SNP	Profibus DP	20	30	4	1	615x317x120	Yes		
DT-203/4DNP	Profibus DP	20	30	4	1	615x317x120	Yes		
DT-203/6SNP	Profibus DP	20	30	6	1	615x464x120	Yes		
DT-203/6DNP	Profibus DP	20	30	6	1	615x464x120	Yes		
DT-203/8SNP	Profibus DP	20	30	8	1	615x611x120	Yes		
DT-203/8DNP	Profibus DP	20	30	8	1	615x611x120	Yes		

DT-105NP		ALPHANUMERICAL LED. INDOORS					Profibus DP		
DT-105/1SNP	Profibus DP	20	50	1	1	985x118x120	Yes		
DT-105/1DNP	Profibus DP	20	50	1	2	985x118x120	Yes		
DT-105/2SNP	Profibus DP	20	50	2	1	985x224x120	Yes		
DT-105/2DNP	Profibus DP	20	50	2	2	985x224x120	Yes		
DT-105/3SNP	Profibus DP	20	50	3	1	985x330x120	Yes		
DT-105/3DNP	Profibus DP	20	50	3	2	985x330x120	Yes		
DT-105/4SNP	Profibus DP	20	50	4	1	985x436x120	Yes		
DT-105/4DNP	Profibus DP	20	50	4	2	985x436x120	Yes		
DT-105/5SNP	Profibus DP	20	50	5	1	985x542x120	Yes		
DT-105/5DNP	Profibus DP	20	50	5	2	985x542x120	Yes		
DT-105/6SNP	Profibus DP	20	50	6	1	985x648x120	Yes		
DT-105/6DNP	Profibus DP	20	50	6	2	985x648x120	Yes		
DT-105/7SNP	Profibus DP	20	50	7	1	985x754x120	Yes		
DT-105/7DNP	Profibus DP	20	50	7	2	985x754x120	Yes		
DT-105/8SNP	Profibus DP	20	50	8	1	985x860x120	Yes		
DT-105/8DNP	Profibus DP	20	50	8	2	985x860x120	Yes		
DT-105/1SNP-6	Profibus DP	6	50	1	1	375x118x120	Yes		
DT-105/1DNP-6	Profibus DP	6	50	1	2	375x118x120	Yes		
DT-105/1SNP-13	Profibus DP	13	50	1	1	680x118x120	Yes		
DT-105/1DNP-13	Profibus DP	13	50	1	2	680x118x120	Yes		
DT-105/2SNP-6	Profibus DP	6	50	2	1	375x224x120	Yes		
DT-105/2DNP-6	Profibus DP	6	50	2	2	375x224x120	Yes		
DT-105/2SNP-13	Profibus DP	13	50	2	1	680x224x120	Yes		
DT-105/2DNP-13	Profibus DP	13	50	2	2	680x224x120	Yes		

DT-106NP		ALPHANUMERICAL LED. OUTDOORS					Profibus DP		
DT-106/2SNP	Profibus DP	20	50	2	1	985x224x120	Yes		
DT-106/2DNP	Profibus DP	20	50	2	2	985x224x120	Yes		
DT-106/3SNP	Profibus DP	20	50	3	1	985x330x120	Yes		
DT-106/3DNP	Profibus DP	20	50	3	2	985x330x120	Yes		
DT-106/4SNP	Profibus DP	20	50	4	1	985x436x120	Yes		
DT-106/4DNP	Profibus DP	20	50	4	2	985x436x120	Yes		
DT-106/5SNP	Profibus DP	20	50	5	1	985x542x120	Yes		
DT-106/5DNP	Profibus DP	20	50	5	2	985x542x120	Yes		
DT-106/6SNP	Profibus DP	20	50	6	1	985x648x120	Yes		
DT-106/6DNP	Profibus DP	20	50	6	2	985x648x120	Yes		
DT-106/7SNP	Profibus DP	20	50	7	1	985x754x120	Yes		
DT-106/7DNP	Profibus DP	20	50	7	2	985x754x120	Yes		
DT-106/8SNP	Profibus DP	20	50	8	1	985x860x120	Yes		
DT-106/8DNP	Profibus DP	20	50	8	2	985x860x120	Yes		
DT-106/2SNP-6	Profibus DP	6	50	2	1	375x224x120	Yes		
DT-106/2DNP-6	Profibus DP	6	50	2	2	375x224x120	Yes		
DT-106/2SNP-13	Profibus DP	13	50	2	1	680x224x120	Yes		
DT-106/2DNP-13	Profibus DP	13	50	2	2	680x224x120	Yes		

MODEL	Control	Digits	Heigh character mm	Lines	Sides	Measures in mm	Progr. From PC
DT-110NP ALPHANUMERICAL LED. INDOORS							Profibus DP
DT-110/1SNP	Profibus DP	20	100	1	1	1886x165x120	Yes
DT-110/1DNP	Profibus DP	20	100	1	2	1886x165x120	Yes
DT-110/2SNP	Profibus DP	20	100	2	1	1886x378x120	Yes
DT-110/2DNP	Profibus DP	20	100	2	2	1886x378x120	Yes
DT-110/3SNP	Profibus DP	20	100	3	1	1886x591x120	Yes
DT-110/3DNP	Profibus DP	20	100	3	2	1886x591x120	Yes
DT-110/4SNP	Profibus DP	20	100	4	1	1886x805x120	Yes
DT-110/4DNP	Profibus DP	20	100	4	2	1886x805x120	Yes
DT-110/5SNP	Profibus DP	20	100	5	1	1886x1018x120	Yes
DT-110/5DNP	Profibus DP	20	100	5	2	1886x1018x120	Yes
DT-110/6SNP	Profibus DP	20	100	6	1	1886x1232x120	Yes
DT-110/6DNP	Profibus DP	20	100	6	2	1886x1232x120	Yes
DT-110/7SNP	Profibus DP	20	100	7	1	1886x1445x120	Yes
DT-110/7DNP	Profibus DP	20	100	7	2	1886x1445x120	Yes
DT-110/8SNP	Profibus DP	20	100	8	1	1886x1659x120	Yes
DT-110/8DNP	Profibus DP	20	100	8	2	1886x1659x120	Yes
DT-110/1SNP-6	Profibus DP	6	100	1	1	666x165x120	Yes
DT-110/1DNP-6	Profibus DP	6	100	1	2	666x165x120	Yes
DT-110/1SNP-13	Profibus DP	13	100	1	1	1276x165x120	Yes
DT-110/1DNP-13	Profibus DP	13	100	1	2	1276x165x120	Yes
DT-110/2SNP-6	Profibus DP	6	100	1	1	666x165x120	Yes
DT-110/2DNP-6	Profibus DP	6	100	1	2	666x165x120	Yes
DT-110/2SNP-13	Profibus DP	13	100	1	1	1276x165x120	Yes
DT-110/2DNP-13	Profibus DP	13	100	1	2	1276x165x120	Yes
DT-111NP ALPHANUMERICAL LED. OUTDOORS							Profibus DP
DT-111/2SNP	Profibus DP	20	100	2	1	1886x378x120	Yes
DT-111/2DNP	Profibus DP	20	100	2	2	1886x378x120	Yes
DT-111/3SNP	Profibus DP	20	100	3	1	1886x591x120	Yes
DT-111/3DNP	Profibus DP	20	100	3	2	1886x591x120	Yes
DT-111/4SNP	Profibus DP	20	100	4	1	1886x805x120	Yes
DT-111/4DNP	Profibus DP	20	100	4	2	1886x805x120	Yes
DT-111/5SNP	Profibus DP	20	100	5	1	1886x1018x120	Yes
DT-111/5DNP	Profibus DP	20	100	5	2	1886x1018x120	Yes
DT-111/6SNP	Profibus DP	20	100	6	1	1886x1232x120	Yes
DT-111/6DNP	Profibus DP	20	100	6	2	1886x1232x120	Yes
DT-111/7SNP	Profibus DP	20	100	7	1	1886x1445x120	Yes
DT-111/7DNP	Profibus DP	20	100	7	2	1886x1445x120	Yes
DT-111/8SNP	Profibus DP	20	100	8	1	1886x1659x120	Yes
DT-111/8DNP	Profibus DP	20	100	8	2	1886x1659x120	Yes
DT-111/2SNP-6	Profibus DP	6	100	1	1	666x165x120	Yes
DT-111/2DNP-6	Profibus DP	6	100	1	2	666x165x120	Yes
DT-111/2SNP-13	Profibus DP	13	100	1	1	1276x165x120	Yes
DT-111/2DNP-13	Profibus DP	13	100	1	2	1276x165x120	Yes
DT-203eNP ALPHANUMERICAL LED. IP65							Profibus
DT-203e/2SNP	Profibus DP	20	30	2	1	615x170x120	Yes
DT-203e/2DNP	Profibus DP	20	30	2	2	615x170x120	Yes
DT-105eNP ALPHANUMERICAL LED. IP65							Profibus
DT-105e/1SNP	Profibus DP	20	50	1	1	985x118x120	Yes
DT-105e/1DNP	Profibus DP	20	50	1	2	985x118x120	Yes
DT-105e/1SNP-6	Profibus DP	6	50	1	1	375x118x120	Yes
DT-105e/1DNP-6	Profibus DP	6	50	1	2	375x118x120	Yes
DT-105e/1SNP-13	Profibus DP	13	50	1	1	680x118x120	Yes
DT-105e/1DNP-13	Profibus DP	13	50	1	2	680x118x120	Yes
DT-106eNP ALPHANUMERICAL LED. IP65							Profibus
DT-106e/1SNP	Profibus DP	20	50	1	1	985x118x120	Yes
DT-106e/1DNP	Profibus DP	20	50	1	2	985x118x120	Yes
DT-106e/1SNP-6	Profibus DP	6	50	1	1	375x118x120	Yes
DT-106e/1DNP-6	Profibus DP	6	50	1	2	375x118x120	Yes
DT-106e/1SNP-13	Profibus DP	13	50	1	1	680x118x120	Yes
DT-106e/1DNP-13	Profibus DP	13	50	1	2	680x118x120	Yes

MODEL	Control	Digits	Heigh character mm	Lines	Sides	Measures in mm	Progr.	From PC
-------	---------	--------	--------------------	-------	-------	----------------	--------	---------

DT-110eNP ALPHANUMERICAL LED. IP65							Profibus
DT-110e/1SNP	Profibus DP	20	100	1	1	1886x165x120	Yes
DT-110e/1DNP	Profibus DP	20	100	1	2	1886x165x120	Yes
DT-110e/1SNP-6	Profibus DP	6	100	1	1	666x165x120	Yes
DT-110e/1DNP-6	Profibus DP	6	100	1	2	666x165x120	Yes
DT-110e/1SNP-13	Profibus DP	13	100	1	1	1276x165x120	Yes
DT-110e/1DNP-13	Profibus DP	13	100	1	2	1276x165x120	Yes

DT-111eNP ALPHANUMERICAL LED. IP65							Profibus
DT-111e/1SNP	Profibus DP	20	100	1	1	1886x165x120	Yes
DT-111e/1DNP	Profibus DP	20	100	1	2	1886x165x120	Yes
DT-111e/1SNP-6	Profibus DP	6	100	1	1	666x165x120	Yes
DT-111e/1DNP-6	Profibus DP	6	100	1	2	666x165x120	Yes
DT-111e/1SNP-13	Profibus DP	13	100	1	1	1276x165x120	Yes
DT-111e/1DNP-13	Profibus DP	13	100	1	2	1276x165x120	Yes

+TH	OPTION RELATIVE HUMIDITY AND TEMPERATURE (+TH)
+TH	OPTION RELATIVE HUMIDITY AND TEMPERATURE IP65. (+TH)
+24V	Option: Power supply 24Vcc

MODEL	Control	Digits	Heigh character mm	Lines	Sides	Measures in mm	Progr. From PC
DT-203NW ALPHANUMERICAL LED. INDOORS							Wifi
DT-203/2SNW	Wifi	20	30	2	1	615x170x120	Yes
DT-203/2DNW	Wifi	20	30	2	2	615x170x120	Yes
DT-203/4SNW	Wifi	20	30	4	1	615x317x120	Yes
DT-203/4DNW	Wifi	20	30	4	1	615x317x120	Yes
DT-203/6SNW	Wifi	20	30	6	1	615x464x120	Yes
DT-203/6DNW	Wifi	20	30	6	1	615x464x120	Yes
DT-203/8SNW	Wifi	20	30	8	1	615x611x120	Yes
DT-203/8DNW	Wifi	20	30	8	1	615x611x120	Yes

DT-105NW ALPHANUMERICAL LED. INDOORS							Wifi
DT-105/1SNW	Wifi	20	50	1	1	985x118x120	Yes
DT-105/1DNW	Wifi	20	50	1	2	985x118x120	Yes
DT-105/2SNW	Wifi	20	50	2	1	985x224x120	Yes
DT-105/2DNW	Wifi	20	50	2	2	985x224x120	Yes
DT-105/3SNW	Wifi	20	50	3	1	985x330x120	Yes
DT-105/3DNW	Wifi	20	50	3	2	985x330x120	Yes
DT-105/4SNW	Wifi	20	50	4	1	985x436x120	Yes
DT-105/4DNW	Wifi	20	50	4	2	985x436x120	Yes
DT-105/5SNW	Wifi	20	50	5	1	985x542x120	Yes
DT-105/5DNW	Wifi	20	50	5	2	985x542x120	Yes
DT-105/6SNW	Wifi	20	50	6	1	985x648x120	Yes
DT-105/6DNW	Wifi	20	50	6	2	985x648x120	Yes
DT-105/7SNW	Wifi	20	50	7	1	985x754x120	Yes
DT-105/7DNW	Wifi	20	50	7	2	985x754x120	Yes
DT-105/8SNW	Wifi	20	50	8	1	985x860x120	Yes
DT-105/8DNW	Wifi	20	50	8	2	985x860x120	Yes
DT-105/1SNW-6	Wifi	6	50	1	1	375x118x120	Yes
DT-105/1DNW-6	Wifi	6	50	1	2	375x118x120	Yes
DT-105/1SNW-13	Wifi	13	50	1	1	680x118x120	Yes
DT-105/1DNW-13	Wifi	13	50	1	2	680x118x120	Yes

DT-106NW ALPHANUMERICAL LED. OUTDOORS							Wifi
DT-106/2SNW	Wifi	20	50	2	1	985x224x120	Yes
DT-106/2DNW	Wifi	20	50	2	2	985x224x120	Yes
DT-106/3SNW	Wifi	20	50	3	1	985x330x120	Yes
DT-106/3DNW	Wifi	20	50	3	2	985x330x120	Yes
DT-106/4SNW	Wifi	20	50	4	1	985x436x120	Yes
DT-106/4DNW	Wifi	20	50	4	2	985x436x120	Yes
DT-106/5SNW	Wifi	20	50	5	1	985x542x120	Yes
DT-106/5DNW	Wifi	20	50	5	2	985x542x120	Yes
DT-106/6SNW	Wifi	20	50	6	1	985x648x120	Yes
DT-106/6DNW	Wifi	20	50	6	2	985x648x120	Yes
DT-106/7SNW	Wifi	20	50	7	1	985x754x120	Yes
DT-106/7DNW	Wifi	20	50	7	2	985x754x120	Yes
DT-106/8SNW	Wifi	20	50	8	1	985x860x120	Yes
DT-106/8DNW	Wifi	20	50	8	2	985x860x120	Yes

MODEL	Control	Digits	Heigh character mm	Lines	Sides	Measures in mm	Progr. From PC
DT-110NW ALPHANUMERICAL LED. INDOORS							Wifi
DT-110/1SNW	Wifi	20	100	1	1	1886x165x120	Yes
DT-110/1DNW	Wifi	20	100	1	2	1886x165x120	Yes
DT-110/2SNW	Wifi	20	100	2	1	1886x378x120	Yes
DT-110/2DNW	Wifi	20	100	2	2	1886x378x120	Yes
DT-110/3SNW	Wifi	20	100	3	1	1886x591x120	Yes
DT-110/3DNW	Wifi	20	100	3	2	1886x591x120	Yes
DT-110/4SNW	Wifi	20	100	4	1	1886x805x120	Yes
DT-110/4DNW	Wifi	20	100	4	2	1886x805x120	Yes
DT-110/5SNW	Wifi	20	100	5	1	1886x1018x120	Yes
DT-110/5DNW	Wifi	20	100	5	2	1886x1018x120	Yes
DT-110/6SNW	Wifi	20	100	6	1	1886x1232x120	Yes
DT-110/6DNW	Wifi	20	100	6	2	1886x1232x120	Yes
DT-110/7SNW	Wifi	20	100	7	1	1886x1445x120	Yes
DT-110/7DNW	Wifi	20	100	7	2	1886x1445x120	Yes
DT-110/8SNW	Wifi	20	100	8	1	1886x1659x120	Yes
DT-110/8DNW	Wifi	20	100	8	2	1886x1659x120	Yes
DT-110/1SNW-6	Wifi	6	100	1	1	666x165x120	Yes
DT-110/1DNW-6	Wifi	6	100	1	2	666x165x120	Yes
DT-110/1SNW-13	Wifi	13	100	1	1	1276x165x120	Yes
DT-110/1DNW-13	Wifi	13	100	1	2	1276x165x120	Yes

DT-111NW ALPHANUMERICAL LED. OUTDOORS							Wifi
DT-111/2SNW	Wifi	20	100	2	1	1886x378x120	Yes
DT-111/2DNW	Wifi	20	100	2	2	1886x378x120	Yes
DT-111/3SNW	Wifi	20	100	3	1	1886x591x120	Yes
DT-111/3DNW	Wifi	20	100	3	2	1886x591x120	Yes
DT-111/4SNW	Wifi	20	100	4	1	1886x805x120	Yes
DT-111/4DNW	Wifi	20	100	4	2	1886x805x120	Yes
DT-111/5SNW	Wifi	20	100	5	1	1886x1018x120	Yes
DT-111/5DNW	Wifi	20	100	5	2	1886x1018x120	Yes
DT-111/6SNW	Wifi	20	100	6	1	1886x1232x120	Yes
DT-111/6DNW	Wifi	20	100	6	2	1886x1232x120	Yes
DT-111/7SNW	Wifi	20	100	7	1	1886x1445x120	Yes
DT-111/7DNW	Wifi	20	100	7	2	1886x1445x120	Yes
DT-111/8SNW	Wifi	20	100	8	1	1886x1659x120	Yes
DT-111/8DNW	Wifi	20	100	8	2	1886x1659x120	Yes

DT-203eNW ALPHANUMERICAL LED. IP65							Wifi
DT-203e/2SNW	Wifi	20	30	2	1	615x170x120	Yes
DT-203e/2DNW	Wifi	20	30	2	2	615x170x120	Yes

DT-105eNW ALPHANUMERICAL LED. IP65							Wifi
DT-105e/1SNW	Wifi	20	50	1	1	985x118x120	Yes
DT-105e/1DNW	Wifi	20	50	1	2	985x118x120	Yes
DT-105e/1SNW-6	Wifi	6	50	1	1	375x118x120	Yes
DT-105e/1DNW-6	Wifi	6	50	1	2	375x118x120	Yes
DT-105e/1SNW-13	Wifi	13	50	1	1	680x118x120	Yes
DT-105e/1DNW-13	Wifi	13	50	1	2	680x118x120	Yes

DT-106eNW ALPHANUMERICAL LED. IP65							Wifi
DT-106e/1SNW	Wifi	20	50	1	1	985x118x120	Yes
DT-106e/1DNW	Wifi	20	50	1	2	985x118x120	Yes
DT-106e/1SNW-6	Wifi	6	50	1	1	375x118x120	Yes
DT-106e/1DNW-6	Wifi	6	50	1	2	375x118x120	Yes
DT-106e/1SNW-13	Wifi	13	50	1	1	680x118x120	Yes
DT-106e/1DNW-13	Wifi	13	50	1	2	680x118x120	Yes

MODEL	Control	Digits	Heigh character mm	Lines	Sides	Measures in mm	Progr. From PC
-------	---------	--------	--------------------	-------	-------	----------------	----------------

DT-110eNW ALPHANUMERICAL LED. IP65							Wifi
DT-110e/1SNW	Wifi	20	100	1	1	1886x165x120	Yes
DT-110e/1DNW	Wifi	20	100	1	2	1886x165x120	Yes
DT-110e/1SNW-6	Wifi	6	100	1	1	666x165x120	Yes
DT-110e/1DNW-6	Wifi	6	100	1	2	666x165x120	Yes
DT-110e/1SNW-13	Wifi	13	100	1	1	1276x165x120	Yes
DT-110e/1DNW-13	Wifi	13	100	1	2	1276x165x120	Yes

DT-111eNW ALPHANUMERICAL LED. IP65							Wifi
DT-111e/1SNW	Wifi	20	100	1	1	1886x165x120	Yes
DT-111e/1DNW	Wifi	20	100	1	2	1886x165x120	Yes
DT-111e/1SNW-6	Wifi	6	100	1	1	666x165x120	Yes
DT-111e/1DNW-6	Wifi	6	100	1	2	666x165x120	Yes
DT-111e/1SNW-13	Wifi	13	100	1	1	1276x165x120	Yes
DT-111e/1DNW-13	Wifi	13	100	1	2	1276x165x120	Yes

+TH	OPTION RELATIVE HUMIDITY AND TEMPERATURE (+TH)
+TH	OPTION RELATIVE HUMIDITY AND TEMPERATURE IP65. (+TH)
+24V	Option: Power supply 24Vcc

MODEL	Control	Digits	Heigh character mm	Lines	Sides	Measures in mm	Progr. From PC
DN-107 Cube, BCD inputs . 57mm of Digit							
DN-107/2B-150	Binary	2	57	1	4	140x140x140	-
DN-107/2B-400	Binary	2	57	1	4	140x140x140	-
DN-107/3B-150	Binary	3	57	1	4	191x191x146	-
DN-107/3B-400	Binary	3	57	1	4	191x191x146	-
DN-107/3B-600	Binary	3	57	1	4	191x191x146	-
DN-108 BCD. 20mm. of Digit							
DN-108	Binary	2	20	1	1	72x36x127	-

MODEL	Control	Digits	Heigh character mm	Lines	Sides	Measures in mm	Progr. From PC
-------	---------	--------	--------------------	-------	-------	----------------	----------------

DN-109AP Digit of 57mm. Analog input. INDOOR							
DN-109/3SAP	Process	3	57	1	1	210x122x120	-
DN-109/3DAP	Process	3	57	1	2	288x122x120	-
DN-109/4SAP	Process	4	57	1	1	288x122x120	-
DN-109/4DAP	Process	4	57	1	2	288x122x120	-
DN-109/5SAP	Process	5	57	1	1	288x122x120	-
DN-109/5DAP	Process	5	57	1	2	288x122x120	-

DN-109C/AP 57mm COLOR Analog input. INDOOR							
DN-109C/3SAP	Process	3	57	1	1	210x122x120	-
DN-109C/3DAP	Process	3	57	1	2	288x122x120	-
DN-109C/4SAP	Process	4	57	1	1	288x122x120	-
DN-109C/4DAP	Process	4	57	1	2	288x122x120	-
DN-109C/5SAP	Process	5	57	1	1	288x122x120	-
DN-109C/5DAP	Process	5	57	1	2	288x122x120	-

DN-109eAP Digit of 57mm. Analog input. IP65							
DN-109e/3SAP	Process	3	57	1	1	210x122x120	-
DN-109e/3DAP	Process	3	57	1	2	288x122x120	-
DN-109e/4SAP	Process	4	57	1	1	288x122x120	-
DN-109e/4DAP	Process	4	57	1	2	288x122x120	-
DN-109e/5SAP	Process	5	57	1	1	288x122x120	-
DN-109e/5DAP	Process	5	57	1	2	288x122x120	-

DN-109Ce/AP 57mm COLOR Analog input. IP65							
DN-109Ce/3SAP	Process	3	57	1	1	210x122x120	-
DN-109Ce/3DAP	Process	3	57	1	2	288x122x120	-
DN-109Ce/4SAP	Process	4	57	1	1	288x122x120	-
DN-109Ce/4DAP	Process	4	57	1	2	288x122x120	-
DN-109Ce/5SAP	Process	5	57	1	1	288x122x120	-
DN-109Ce/5DAP	Process	5	57	1	2	288x122x120	-

DN-109i/AP Digit of 57mm. Analog input. Stainless S.							
DN-109i/4SAP	Process	4	57	1	1	300x150x80	-
DN-109i/5SAP	Process	5	57	1	1	300x150x80	-

DN-109Ci/AP 57mm COLOR Analog input. Stainless S.							
DN-109Ci/4SAP	Process	4	57	1	1	300x150x80	-
DN-109Ci/5SAP	Process	5	57	1	1	300x150x80	-

+X	Option Serial line					IP41	
+R	Option Output relays					IP41	
+XR	Option Serial line + relays					IP41	
+X	Option Serial line					IP65	
+R	Option Output relays					IP65	
+XR	Option Serial line + relays					IP65	

+TL	Option Text leds	+2	Models S		1	+96mm	
+TV	Option Text vinyl	+2	Models S		1	+96mm	
+TL	Option Text leds	+2	Models D		2	+96mm	
+TV	Option Text vinyl	+2	Models D		2	+96mm	
+T	Option Text non T	+2	Models S		1	+96mm	
+T	Option Text non T	+2	Models D		2	+96mm	

+24V	Option: Power supply 24Vcc						
------	----------------------------	--	--	--	--	--	--

MODEL	Control	Digits	Heigh character mm	Lines	Sides	Measures in mm	Progr. From PC
DN-119AP Digit of 100mm. Analog input. INDOOR							
DN-119/3SAP	Process	3	100	1	1	324x177x120	-
DN-119/3DAP	Process	3	100	1	2	324x177x120	-
DN-119/4SAP	Process	4	100	1	1	414x177x120	-
DN-119/4DAP	Process	4	100	1	2	414x177x120	-
DN-119/5SAP	Process	5	100	1	1	504x177x120	-
DN-119/5DAP	Process	5	100	1	2	504x177x120	-
DN-119CAP 100mm COLOR Analog input. INDOOR							
DN-119C/3SAP	Process	3	100	1	1	324x177x120	-
DN-119C/3DAP	Process	3	100	1	2	324x177x120	-
DN-119C/4SAP	Process	4	100	1	1	414x177x120	-
DN-119C/4DAP	Process	4	100	1	2	414x177x120	-
DN-119C/5SAP	Process	5	100	1	1	504x177x120	-
DN-119C/5DAP	Process	5	100	1	2	504x177x120	-
DN-119eAP Digit of 100mm. Analog input. IP65							
DN-119e/3SAP	Process	3	100	1	1	324x177x120	-
DN-119e/3DAP	Process	3	100	1	2	324x177x120	-
DN-119e/4SAP	Process	4	100	1	1	414x177x120	-
DN-119e/4DAP	Process	4	100	1	2	414x177x120	-
DN-119e/5SAP	Process	5	100	1	1	504x177x120	-
DN-119e/5DAP	Process	5	100	1	2	504x177x120	-
DN-119CeAP 100mm COLOR Analog input. IP65							
DN-119Ce/3SAP	Process	3	100	1	1	324x177x120	-
DN-119Ce/3DAP	Process	3	100	1	2	324x177x120	-
DN-119Ce/4SAP	Process	4	100	1	1	414x177x120	-
DN-119Ce/4DAP	Process	4	100	1	2	414x177x120	-
DN-119Ce/5SAP	Process	5	100	1	1	504x177x120	-
DN-119Ce/5DAP	Process	5	100	1	2	504x177x120	-
DN-119ehAP Digit of 100mm. Analog input. OUTDOOR							
DN-119eh/3SAP	Process	3	100	1	1	324x177x120	-
DN-119eh/3DAP	Process	3	100	1	2	324x177x120	-
DN-119eh/4SAP	Process	4	100	1	1	414x177x120	-
DN-119eh/4DAP	Process	4	100	1	2	414x177x120	-
DN-119eh/5SAP	Process	5	100	1	1	504x177x120	-
DN-119eh/5DAP	Process	5	100	1	2	504x177x120	-
DN-119i/AP Digit de 100mm Analog input. Stainless S.							
DN-119i/4SAP	Process	4	100	1	1	500x200x120	-
DN-119i/5SAP	Process	5	100	1	1	500x200x120	-
DN-119ih/AP Digit de 100mm Analog input. OUTDOOR Inox.							
DN-119ih/4SAP	Process	4	100	1	1	500x200x120	-
DN-119ih/5SAP	Process	5	100	1	1	500x200x120	-
DN-119Ci/AP 100mm COLOR Analog input. Stainless S.							
DN-119Ci/4SAP	Process	4	100	1	1	500x200x120	-
DN-119Ci/5SAP	Process	5	100	1	1	500x200x120	-
+X	Option Serial line					IP41	
+R	Option Output relays					IP41	
+XR	Option Serial line + relays					IP41	
+X	Option Serial line					IP65	
+R	Option Output relays					IP65	
+XR	Option Serial line + relays					IP65	
+TL	Option Text leds	+2	Models S		1	+180mm	
+TV	Option Text vinyl	+2	Models S		2	+180mm	
+TL	Option Text leds	+2	Models D		1	+180mm	
+TV	Option Text vinyl	+2	Models D		2	+180mm	
+24V	Option: Power supply 24Vcc						

MODEL	Control	Digits	Heigh character mm	Lines	Sides	Measures in mm	Progr. From PC
-------	---------	--------	--------------------------	-------	-------	----------------	-------------------

MODEL	Control	Digits	Heigh character mm	Lines	Sides	Measures in mm	Progr. From PC
DN-129AP	Digit of 250mm.		Analog input. INDOOR				
DN-129/3SAP	Process	3	250	1	1	750x366x120	-
DN-129/3DAP	Process	3	250	1	2	750x366x120	-
DN-129/4SAP	Process	4	250	1	1	985x366x120	-
DN-129/4DAP	Process	4	250	1	2	985x366x120	-
DN-129/5SAP	Process	5	250	1	1	1220x366x120	-
DN-129/5DAP	Process	5	250	1	2	1220x366x120	-

+X	Option Serial line						
+R	Option Output relays						
+XR	Option Serial line + relays						

+TV	Option Text vinyl	+2	Models S		1	+470mm	
+TV	Option Text vinyl	+2	Models D		2	+470mm	

+24V	Option: Power supply 24Vcc						
------	----------------------------	--	--	--	--	--	--

DN-189AP	Digit of 180mm.		Analog input. INDOOR				
DN-189/3SAP	Process	3	180	1	1	500x251x120	-
DN-189/3DAP	Process	3	180	1	2	500x251x120	-
DN-189/4SAP	Process	4	180	1	1	660x251x120	-
DN-189/4DAP	Process	4	180	1	2	660x251x120	-
DN-189/5SAP	Process	5	180	1	1	820x251x120	-
DN-189/5DAP	Process	5	180	1	2	820x251x120	-

DN-189eAP	Digit of 180mm.		Analog input. IP65				
DN-189e/3SAP	Process	3	180	1	1	500x251x120	-
DN-189e/3DAP	Process	3	180	1	2	500x251x120	-
DN-189e/4SAP	Process	4	180	1	1	660x251x120	-
DN-189e/4DAP	Process	4	180	1	2	660x251x120	-
DN-189e/5SAP	Process	5	180	1	1	820x251x120	-
DN-189e/5DAP	Process	5	180	1	2	820x251x120	-

DN-189ehAP	Digit of 180mm.		Analog input. OUTDOOR				
DN-189eh/3SAP	Process	3	180	1	1	500x251x120	-
DN-189eh/3DAP	Process	3	180	1	2	500x251x120	-
DN-189eh/4SAP	Process	4	180	1	1	660x251x120	-
DN-189eh/4DAP	Process	4	180	1	2	660x251x120	-
DN-189eh/5SAP	Process	5	180	1	1	820x251x120	-
DN-189eh/5DAP	Process	5	180	1	2	820x251x120	-

+X	Option Serial line					IP41	
+R	Option Output relays					IP41	
+XR	Option Serial line + relays					IP41	
+X	Option Serial line					IP65	
+R	Option Output relays					IP65	
+XR	Option Serial line + relays					IP65	

+TV	Option Text vinyl	+2	Models S		1	+320mm	
+TV	Option Text vinyl	+2	Models D		2	+320mm	

+24V	Option: Power supply 24Vcc						
------	----------------------------	--	--	--	--	--	--

MODEL	Control	Digits	Heigh character mm	Lines	Sides	Measures in mm	Progr. From PC
-------	---------	--------	--------------------	-------	-------	----------------	----------------

DN-109AT		Digit of 57mm.		Analog input. INDOOR			
DN-109/3SAT	Temperature	3	57	1	1	210x122x120	-
DN-109/3DAT	Temperature	3	57	1	2	288x122x120	-
DN-109/4SAT	Temperature	4	57	1	1	288x122x120	-
DN-109/4DAT	Temperature	4	57	1	2	288x122x120	-
DN-109/5SAT	Temperature	5	57	1	1	288x122x120	-
DN-109/5DAT	Temperature	5	57	1	2	288x122x120	-

DN-109C/AT		57mm COLOR		Analog input. INDOOR			
DN-109C/3SAT	Temperature	3	57	1	1	210x122x120	-
DN-109C/3DAT	Temperature	3	57	1	2	288x122x120	-
DN-109C/4SAT	Temperature	4	57	1	1	288x122x120	-
DN-109C/4DAT	Temperature	4	57	1	2	288x122x120	-
DN-109C/5SAT	Temperature	5	57	1	1	288x122x120	-
DN-109C/5DAT	Temperature	5	57	1	2	288x122x120	-

DN-109eAT		Digit of 57mm.		Analog input. IP65			
DN-109e/3SAT	Temperature	3	57	1	1	210x122x120	-
DN-109e/3DAT	Temperature	3	57	1	2	288x122x120	-
DN-109e/4SAT	Temperature	4	57	1	1	288x122x120	-
DN-109e/4DAT	Temperature	4	57	1	2	288x122x120	-
DN-109e/5SAT	Temperature	5	57	1	1	288x122x120	-
DN-109e/5DAT	Temperature	5	57	1	2	288x122x120	-

DN-109Ce/AT		57mm COLOR		Analog input. IP65			
DN-109Ce/3SAT	Temperature	3	57	1	1	210x122x120	-
DN-109Ce/3DAT	Temperature	3	57	1	2	288x122x120	-
DN-109Ce/4SAT	Temperature	4	57	1	1	288x122x120	-
DN-109Ce/4DAT	Temperature	4	57	1	2	288x122x120	-
DN-109Ce/5SAT	Temperature	5	57	1	1	288x122x120	-
DN-109Ce/5DAT	Temperature	5	57	1	2	288x122x120	-

DN-109i/AT		Digit of 57mm.		Analog input. Stainless S.			
DN-109i/4SAT	Temperature	4	57	1	1	300x150x80	-
DN-109i/5SAT	Temperature	5	57	1	1	300x150x80	-

DN-109Ci/AT		57mm COLOR		Analog input. Stainless S.			
DN-109Ci/4SAT	Temperature	4	57	1	1	300x150x80	-
DN-109Ci/5SAT	Temperature	5	57	1	1	300x150x80	-

+X	Option Serial line					IP41	
+R	Option Output relays					IP41	
+XR	Option Serial line + relays					IP41	
+X	Option Serial line					IP65	
+R	Option Output relays					IP65	
+XR	Option Serial line + relays					IP65	

+TL	Option Text leds	+2	Models S	1	+96mm	
+TV	Option Text vinyl	+2	Models S	1	+96mm	
+TL	Option Text leds	+2	Models D	2	+96mm	
+TV	Option Text vinyl	+2	Models D	2	+96mm	
+T	Option Text non T	+2	Models S	1	+96mm	
+T	Option Text non T	+2	Models D	2	+96mm	

+24V	Option: Power supply 24Vcc						
------	----------------------------	--	--	--	--	--	--

DN-119AT		Digit of 100mm.		Analog input. INDOOR			
DN-119/3SAT	Temperature	3	100	1	1	324x177x120	-
DN-119/3DAT	Temperature	3	100	1	2	324x177x120	-
DN-119/4SAT	Temperature	4	100	1	1	414x177x120	-
DN-119/4DAT	Temperature	4	100	1	2	414x177x120	-
DN-119/5SAT	Temperature	5	100	1	1	504x177x120	-
DN-119/5DAT	Temperature	5	100	1	2	504x177x120	-

DN-119CAT		100mm COLOR		Analog input. INDOOR			
------------------	--	-------------	--	----------------------	--	--	--

MODEL	Control	Digits	Heigh character mm	Lines	Sides	Measures in mm	Progr. From PC
DN-119C/3SAT	Temperature	3	100	1	1	324x177x120	-
DN-119C/3DAT	Temperature	3	100	1	2	324x177x120	-
DN-119C/4SAT	Temperature	4	100	1	1	414x177x120	-
DN-119C/4DAT	Temperature	4	100	1	2	414x177x120	-
DN-119C/5SAT	Temperature	5	100	1	1	504x177x120	-
DN-119C/5DAT	Temperature	5	100	1	2	504x177x120	-

MODEL	Control	Digits	Heigh character mm	Lines	Sides	Measures in mm	Progr. From PC
-------	---------	--------	--------------------	-------	-------	----------------	----------------

DN-119eAT		Digit of 100mm.		Analog input. IP65			
DN-119e/3SAT	Temperature	3	100	1	1	324x177x120	-
DN-119e/3DAT	Temperature	3	100	1	2	324x177x120	-
DN-119e/4SAT	Temperature	4	100	1	1	414x177x120	-
DN-119e/4DAT	Temperature	4	100	1	2	414x177x120	-
DN-119e/5SAT	Temperature	5	100	1	1	504x177x120	-
DN-119e/5DAT	Temperature	5	100	1	2	504x177x120	-

DN-119CeAT		100mm COLOR		Analog input. IP65			
DN-119Ce/3SAT	Temperature	3	100	1	1	324x177x120	-
DN-119Ce/3DAT	Temperature	3	100	1	2	324x177x120	-
DN-119Ce/4SAT	Temperature	4	100	1	1	414x177x120	-
DN-119Ce/4DAT	Temperature	4	100	1	2	414x177x120	-
DN-119Ce/5SAT	Temperature	5	100	1	1	504x177x120	-
DN-119Ce/5DAT	Temperature	5	100	1	2	504x177x120	-

DN-119ehAT		Digit of 100mm.		Analog input. OUTDOOR			
DN-119eh/3SAT	Temperature	3	100	1	1	324x177x120	-
DN-119eh/3DAT	Temperature	3	100	1	2	324x177x120	-
DN-119eh/4SAT	Temperature	4	100	1	1	414x177x120	-
DN-119eh/4DAT	Temperature	4	100	1	2	414x177x120	-
DN-119eh/5SAT	Temperature	5	100	1	1	504x177x120	-
DN-119eh/5DAT	Temperature	5	100	1	2	504x177x120	-

DN-119i/AT		Digit de 100mm		Analog input. Stainless S.			
DN-119i/4SAT	Temperature	4	100	1	1	500x200x120	-
DN-119i/5SAT	Temperature	5	100	1	1	500x200x120	-

DN-119Ci/AT		100mm COLOR		Analog input. Stainless S.			
DN-119Ci/4SAT	Temperature	4	100	1	1	500x200x120	-
DN-119Ci/5SAT	Temperature	5	100	1	1	500x200x120	-

+X	Option Serial line					IP41	
+R	Option Output relays					IP41	
+XR	Option Serial line + relays					IP41	
+X	Option Serial line					IP65	
+R	Option Output relays					IP65	
+XR	Option Serial line + relays					IP65	

+TL	Option Text leds	+2	Models S		1	+180mm	
+TV	Option Text vinyl	+2	Models S		2	+180mm	
+TL	Option Text leds	+2	Models D		1	+180mm	
+TV	Option Text vinyl	+2	Models D		2	+180mm	

+24V	Option: Power supply 24Vcc						
------	----------------------------	--	--	--	--	--	--

DN-129AT		Digit of 250mm.		Analog input. INDOOR			
DN-129/3SAT	Temperature	3	250	1	1	750x366x120	-
DN-129/3DAT	Temperature	3	250	1	2	750x366x120	-
DN-129/4SAT	Temperature	4	250	1	1	985x366x120	-
DN-129/4DAT	Temperature	4	250	1	2	985x366x120	-
DN-129/5SAT	Temperature	5	250	1	1	1220x366x120	-
DN-129/5DAT	Temperature	5	250	1	2	1220x366x120	-

+X	Option Serial line						
+R	Option Output relays						
+XR	Option Serial line + relays						

+TV	Option Text vinyl	+2	Models S		1	+470mm	
+TV	Option Text vinyl	+2	Models D		2	+470mm	

+24V	Option: Power supply 24Vcc						
------	----------------------------	--	--	--	--	--	--

DN-189AT		Digit of 180mm.		Analog input. INDOOR			
DN-189/3SAT	Temperature	3	180	1	1	500x251x120	-
DN-189/3DAT	Temperature	3	180	1	2	500x251x120	-

MODEL	Control	Digits	Heigh character mm	Lines	Sides	Measures in mm	Progr. From PC
DN-189/4SAT	Temperature	4	180	1	1	660x251x120	-
DN-189/4DAT	Temperature	4	180	1	2	660x251x120	-
DN-189/5SAT	Temperature	5	180	1	1	820x251x120	-
DN-189/5DAT	Temperature	5	180	1	2	820x251x120	-

DN-189eAT		Digit of 180mm.		Analog input. IP65			
DN-189e/3SAT	Temperature	3	180	1	1	500x251x120	-
DN-189e/3DAT	Temperature	3	180	1	2	500x251x120	-
DN-189e/4SAT	Temperature	4	180	1	1	660x251x120	-
DN-189e/4DAT	Temperature	4	180	1	2	660x251x120	-
DN-189e/5SAT	Temperature	5	180	1	1	820x251x120	-
DN-189e/5DAT	Temperature	5	180	1	2	820x251x120	-

DN-189ehAT		Digit of 180mm.		Analog input. OUTDOOR			
DN-189eh/3SAT	Temperature	3	180	1	1	500x251x120	-
DN-189eh/3DAT	Temperature	3	180	1	2	500x251x120	-
DN-189eh/4SAT	Temperature	4	180	1	1	660x251x120	-
DN-189eh/4DAT	Temperature	4	180	1	2	660x251x120	-
DN-189eh/5SAT	Temperature	5	180	1	1	820x251x120	-
DN-189eh/5DAT	Temperature	5	180	1	2	820x251x120	-

+X	Option Serial line					IP41	
+R	Option Output relays					IP41	
+XR	Option Serial line + relays					IP41	
+X	Option Serial line					IP65	
+R	Option Output relays					IP65	
+XR	Option Serial line + relays					IP65	

+TV	Option Text vinyl	+2	Models S		1	+320mm	
+TV	Option Text vinyl	+2	Models D		2	+320mm	

+24V	Option: Power supply 24Vcc						
------	----------------------------	--	--	--	--	--	--

MODEL	Control	Digits	Heigh character mm	Lines	Sides	Measures in mm	Progr.	From PC
DN-109X	Digit of 57mm.		Repeater RS-232/RS485. INDOOR USE.					
DN-109/3SX	Serial	3	57	1	1	210x122x120	-	
DN-109/3DX	Sèrie	3	57	1	2	288x122x120	-	
DN-109/4SX	Serial	4	57	1	1	288x122x120	-	
DN-109/4DX	Serial	4	57	1	2	288x122x120	-	
DN-109/5SX	Serial	5	57	1	1	288x122x120	-	
DN-109/5DX	Serial	5	57	1	2	288x122x120	-	
DN-109/6SX	Serial	6	57	1	1	336x122x120	-	
DN-109/6DX	Serial	6	57	1	2	336x122x120	-	
DN-109/7SX	Serial	7	57	1	1	382x122x120	-	
DN-109/7DX	Serial	7	57	1	2	382x122x120	-	
DN-109/8SX	Serial	8	57	1	1	430x122x120	-	
DN-109/8DX	Serial	8	57	1	2	430x122x120	-	
DN-109/9SX	Serial	9	57	1	1	478x122x120	-	
DN-109/9DX	Serial	9	57	1	2	478x122x120	-	
DN-109/10SX	Serial	10	57	1	1	526x122x120	-	
DN-109/10DX	Serial	10	57	1	2	526x122x120	-	

DN-109C/X	57mm COLOR		Repeater RS-232/RS485. INDOOR USE.					
DN-109C/3SX	Serial	3	57	1	1	210x122x120	-	
DN-109C/3DX	Sèrie	3	57	1	2	288x122x120	-	
DN-109C/4SX	Serial	4	57	1	1	288x122x120	-	
DN-109C/4DX	Serial	4	57	1	2	288x122x120	-	
DN-109C/5SX	Serial	5	57	1	1	288x122x120	-	
DN-109C/5DX	Serial	5	57	1	2	288x122x120	-	
DN-109C/6SX	Serial	6	57	1	1	336x122x120	-	
DN-109C/6DX	Serial	6	57	1	2	336x122x120	-	
DN-109C/7SX	Serial	7	57	1	1	382x122x120	-	
DN-109C/7DX	Serial	7	57	1	2	382x122x120	-	
DN-109C/8SX	Serial	8	57	1	1	430x122x120	-	
DN-109C/8DX	Serial	8	57	1	2	430x122x120	-	
DN-109C/9SX	Serial	9	57	1	1	478x122x120	-	
DN-109C/9DX	Serial	9	57	1	2	478x122x120	-	
DN-109C/10SX	Serial	10	57	1	1	526x122x120	-	
DN-109C/10DX	Serial	10	57	1	2	526x122x120	-	

DN-109eX	Digit of 57mm.		Repeater RS-232/RS485. IP65.					
DN-109e/3SX	Serial	3	57	1	1	210x122x120	-	
DN-109e/3DX	Serial	3	57	1	2	288x122x120	-	
DN-109e/4SX	Serial	4	57	1	1	288x122x120	-	
DN-109e/4DX	Serial	4	57	1	2	288x122x120	-	
DN-109e/5SX	Serial	5	57	1	1	288x122x120	-	
DN-109e/5DX	Serial	5	57	1	2	288x122x120	-	
DN-109e/6SX	Serial	6	57	1	1	336x122x120	-	
DN-109e/6DX	Serial	6	57	1	2	336x122x120	-	
DN-109e/7SX	Serial	7	57	1	1	382x122x120	-	
DN-109e/7DX	Serial	7	57	1	2	382x122x120	-	
DN-109e/8SX	Serial	8	57	1	1	430x122x120	-	
DN-109e/8DX	Serial	8	57	1	2	430x122x120	-	
DN-109e/9SX	Serial	9	57	1	1	478x122x120	-	
DN-109e/9DX	Serial	9	57	1	2	478x122x120	-	
DN-109e/10SX	Serial	10	57	1	1	526x122x120	-	
DN-109e/10DX	Serial	10	57	1	2	526x122x120	-	

MODEL	Control	Digits	Heigh character mm	Lines	Sides	Measures in mm	Progr.	From PC
DN-109CeX		57mm COLOR		Repeater RS-232/RS485. IP65.				
DN-109Ce/3SX	Serial	3	57	1	1	210x122x120	-	
DN-109Ce/3DX	Serial	3	57	1	2	288x122x120	-	
DN-109Ce/4SX	Serial	4	57	1	1	288x122x120	-	
DN-109Ce/4DX	Serial	4	57	1	2	288x122x120	-	
DN-109Ce/5SX	Serial	5	57	1	1	288x122x120	-	
DN-109Ce/5DX	Serial	5	57	1	2	288x122x120	-	
DN-109Ce/6SX	Serial	6	57	1	1	336x122x120	-	
DN-109Ce/6DX	Serial	6	57	1	2	336x122x120	-	
DN-109Ce/7SX	Serial	7	57	1	1	382x122x120	-	
DN-109Ce/7DX	Serial	7	57	1	2	382x122x120	-	
DN-109Ce/8SX	Serial	8	57	1	1	430x122x120	-	
DN-109Ce/8DX	Serial	8	57	1	2	430x122x120	-	
DN-109Ce/9SX	Serial	9	57	1	1	478x122x120	-	
DN-109Ce/9DX	Serial	9	57	1	2	478x122x120	-	
DN-109Ce/10SX	Serial	10	57	1	1	526x122x120	-	
DN-109Ce/10DX	Serial	10	57	1	2	526x122x120	-	

+TL	Option Text leds	+2	Models S		1	+96mm	
+TV	Option Text vinyl	+2	Models S		1	+96mm	
+TL	Option Text leds	+2	Models D		2	+96mm	
+TV	Option Text vinyl	+2	Models D		2	+96mm	

+24V	Option: Power supply 24Vcc						
------	----------------------------	--	--	--	--	--	--

DN-119X		Digit of 100mm.		Repeater RS-232/RS485. INDOOR USE.				
DN-119/3SX	Serial	3	100	1	1	324x177x120	-	
DN-119/3DX	Serie	3	100	1	2	414x177x120	-	
DN-119/4SX	Serial	4	100	1	1	414x177x120	-	
DN-119/4DX	Serial	4	100	1	2	414x177x120	-	
DN-119/5SX	Serial	5	100	1	1	504x177x120	-	
DN-119/5DX	Serial	5	100	1	2	504x177x120	-	
DN-119/6SX	Serial	6	100	1	1	594x177x120	-	
DN-119/6DX	Serial	6	100	1	2	594x177x120	-	
DN-119/7SX	Serial	7	100	1	1	684x177x120	-	
DN-119/7DX	Serial	7	100	1	2	684x177x120	-	
DN-119/8SX	Serial	8	100	1	1	774x177x120	-	
DN-119/8DX	Serial	8	100	1	2	774x177x120	-	
DN-119/9SX	Serial	9	100	1	1	864x177x120	-	
DN-119/9DX	Serial	9	100	1	2	864x177x120	-	
DN-119/10SX	Serial	10	100	1	1	954x177x120	-	
DN-119/10DX	Serial	10	100	1	2	954x177x120	-	

DN-119C/X		100mm COLOR		Repeater RS-232/RS485. INDOOR USE.				
DN-119C/3SX	Serial	3	100	1	1	324x177x120	-	
DN-119C/3DX	Serie	3	100	1	2	414x177x120	-	
DN-119C/4SX	Serial	4	100	1	1	414x177x120	-	
DN-119C/4DX	Serial	4	100	1	2	414x177x120	-	
DN-119C/5SX	Serial	5	100	1	1	504x177x120	-	
DN-119C/5DX	Serial	5	100	1	2	504x177x120	-	
DN-119C/6SX	Serial	6	100	1	1	594x177x120	-	
DN-119C/6DX	Serial	6	100	1	2	594x177x120	-	
DN-119C/7SX	Serial	7	100	1	1	684x177x120	-	
DN-119C/7DX	Serial	7	100	1	2	684x177x120	-	
DN-119C/8SX	Serial	8	100	1	1	774x177x120	-	
DN-119C/8DX	Serial	8	100	1	2	774x177x120	-	
DN-119C/9SX	Serial	9	100	1	1	864x177x120	-	
DN-119C/9DX	Serial	9	100	1	2	864x177x120	-	
DN-119C/10SX	Serial	10	100	1	1	954x177x120	-	
DN-119C/10DX	Serial	10	100	1	2	954x177x120	-	

MODEL	Control	Digits	Heigh character mm	Lines	Sides	Measures in mm	Progr.	From PC
DN-119eX		Digit of 100mm.		Repeater RS-232/RS485. IP65.				
DN-119e/3SX	Serial	3	100	1	1	324x177x120	-	
DN-119e/3DX	Sèrie	3	100	1	2	414x177x120	-	
DN-119e/4SX	Serial	4	100	1	1	414x177x120	-	
DN-119e/4DX	Serial	4	100	1	2	414x177x120	-	
DN-119e/5SX	Serial	5	100	1	1	504x177x120	-	
DN-119e/5DX	Serial	5	100	1	2	504x177x120	-	
DN-119e/6SX	Serial	6	100	1	1	594x177x120	-	
DN-119e/6DX	Serial	6	100	1	2	594x177x120	-	
DN-119e/7SX	Serial	7	100	1	1	684x177x120	-	
DN-119e/7DX	Serial	7	100	1	2	684x177x120	-	
DN-119e/8SX	Serial	8	100	1	1	774x177x120	-	
DN-119e/8DX	Serial	8	100	1	2	774x177x120	-	
DN-119e/9SX	Serial	9	100	1	1	864x177x120	-	
DN-119e/9DX	Serial	9	100	1	2	864x177x120	-	
DN-119e/10SX	Serial	10	100	1	1	954x177x120	-	
DN-119e/10DX	Serial	10	100	1	2	954x177x120	-	

DN-119Ce/X		100mm COLOR		Repeater RS-232/RS485. INDOOR USE.				
DN-119Ce/3SX	Serial	3	100	1	1	324x177x120	-	
DN-119Ce/3DX	Sèrie	3	100	1	2	414x177x120	-	
DN-119Ce/4SX	Serial	4	100	1	1	414x177x120	-	
DN-119Ce/4DX	Serial	4	100	1	2	414x177x120	-	
DN-119Ce/5SX	Serial	5	100	1	1	504x177x120	-	
DN-119Ce/5DX	Serial	5	100	1	2	504x177x120	-	
DN-119Ce/6SX	Serial	6	100	1	1	594x177x120	-	
DN-119Ce/6DX	Serial	6	100	1	2	594x177x120	-	
DN-119Ce/7SX	Serial	7	100	1	1	684x177x120	-	
DN-119Ce/7DX	Serial	7	100	1	2	684x177x120	-	
DN-119Ce/8SX	Serial	8	100	1	1	774x177x120	-	
DN-119Ce/8DX	Serial	8	100	1	2	774x177x120	-	
DN-119Ce/9SX	Serial	9	100	1	1	864x177x120	-	
DN-119Ce/9DX	Serial	9	100	1	2	864x177x120	-	
DN-119Ce/10SX	Serial	10	100	1	1	954x177x120	-	
DN-119Ce/10DX	Serial	10	100	1	2	954x177x120	-	

DN-119ehX		Digit of 100mm.		Repeater RS-232/RS485. OUTDOOR USE.				
DN-119eh/3SX	Serial	3	100	1	1	324x177x120	-	
DN-119eh/3DX	Sèrie	3	100	1	2	414x177x120	-	
DN-119eh/4SX	Serial	4	100	1	1	414x177x120	-	
DN-119eh/4DX	Serial	4	100	1	2	414x177x120	-	
DN-119eh/5SX	Serial	5	100	1	1	504x177x120	-	
DN-119eh/5DX	Serial	5	100	1	2	504x177x120	-	
DN-119eh/6SX	Serial	6	100	1	1	594x177x120	-	
DN-119eh/6DX	Serial	6	100	1	2	594x177x120	-	
DN-119eh/7SX	Serial	7	100	1	1	684x177x120	-	
DN-119eh/7DX	Serial	7	100	1	2	684x177x120	-	
DN-119eh/8SX	Serial	8	100	1	1	774x177x120	-	
DN-119eh/8DX	Serial	8	100	1	2	774x177x120	-	
DN-119eh/9SX	Serial	9	100	1	1	864x177x120	-	
DN-119eh/9DX	Serial	9	100	1	2	864x177x120	-	
DN-119eh/10SX	Serial	10	100	1	1	954x177x120	-	
DN-119eh/10DX	Serial	10	100	1	2	954x177x120	-	

+TL	Option Text leds	+2	Models S		1	+180mm	
+TV	Option Text vinyl	+2	Models S		2	+180mm	
+TL	Option Text leds	+2	Models D		1	+180mm	
+TV	Option Text vinyl	+2	Models D		2	+180mm	

+24V	Option: Power supply 24Vcc						
------	----------------------------	--	--	--	--	--	--

MODEL	Control	Digits	Heigh character mm	Lines	Sides	Measures in mm	Progr.	From PC
DN-129X	Digit of 250mm.		Repeater RS-232/RS485. INDOOR USE.					
DN-129/2SX	Serial	2	250	1	1	515x366x120	-	
DN-129/2DX	Serial	2	250	1	2	515x366x120	-	
DN-129/3SX	Serial	3	250	1	1	750x366x120	-	
DN-129/3DX	Serial	3	250	1	2	750x366x120	-	
DN-129/4SX	Serial	4	250	1	1	985x366x120	-	
DN-129/4DX	Serial	4	250	1	2	985x366x120	-	
DN-129/5SX	Serial	5	250	1	1	1220x366x120	-	
DN-129/5DX	Serial	5	250	1	2	1220x366x120	-	
DN-129/6SX	Serial	6	250	1	1	1455x366x120	-	
DN-129/6DX	Serial	6	250	1	2	1455x366x120	-	
DN-129/7SX	Serial	7	250	1	1	1690x366x120	-	
DN-129/7DX	Serial	7	250	1	2	1690x366x120	-	
DN-129/8SX	Serial	8	250	1	1	1925x366x120	-	
DN-129/8DX	Serial	8	250	1	2	1925x366x120	-	
DN-129/9SX	Serial	9	250	1	1	2160x366x120	-	
DN-129/9DX	Serial	9	250	1	2	2160x366x120	-	
DN-129/10SX	Serial	10	250	1	1	2395x366x120	-	
DN-129/10DX	Serial	10	250	1	2	2395x366x120	-	
+TV	Option Text vinyl	+2	Models S		1	+470mm		
+TV	Option Text vinyl	+2	Models D		2	+470mm		
+24V	Option: Power supply 24Vcc							
DN-189X	Digit of 180mm.		Repeater RS-232/RS485. INDOOR USE.					
DN-189/2SX	Serial	2	180	1	1	340x251x120	-	
DN-189/2DX	Serial	2	180	1	2	340x251x120	-	
DN-189/3SX	Serial	3	180	1	1	500x251x120	-	
DN-189/3DX	Serial	3	180	1	2	500x251x120	-	
DN-189/4SX	Serial	4	180	1	1	660x251x120	-	
DN-189/4DX	Serial	4	180	1	2	660x251x120	-	
DN-189/5SX	Serial	5	180	1	1	820x251x120	-	
DN-189/5DX	Serial	5	180	1	2	820x251x120	-	
DN-189/6SX	Serial	6	180	1	1	980x251x120	-	
DN-189/6DX	Serial	6	180	1	2	980x251x120	-	
DN-189/7SX	Serial	7	180	1	1	1140x251x120	-	
DN-189/7DX	Serial	7	180	1	2	1140x251x120	-	
DN-189/8SX	Serial	8	180	1	1	1300x251x120	-	
DN-189/8DX	Serial	8	180	1	2	1300x251x120	-	
DN-189/9SX	Serial	9	180	1	1	1460x251x120	-	
DN-189/9DX	Serial	9	180	1	2	1460x251x120	-	
DN-189/10SX	Serial	10	180	1	1	1620x251x120	-	
DN-189/10DX	Serial	10	180	1	2	1620x251x120	-	
DN-189eX	Digit of 180mm.		Repeater RS-232/RS485. IP65.					
DN-189e/2SX	Serial	2	180	1	1	340x251x120	-	
DN-189e/2DX	Serial	2	180	1	2	340x251x120	-	
DN-189e/3SX	Serial	3	180	1	1	500x251x120	-	
DN-189e/3DX	Serial	3	180	1	2	500x251x120	-	
DN-189e/4SX	Serial	4	180	1	1	660x251x120	-	
DN-189e/4DX	Serial	4	180	1	2	660x251x120	-	
DN-189e/5SX	Serial	5	180	1	1	820x251x120	-	
DN-189e/5DX	Serial	5	180	1	2	820x251x120	-	
DN-189e/6SX	Serial	6	180	1	1	980x251x120	-	
DN-189e/6DX	Serial	6	180	1	2	980x251x120	-	
DN-189e/7SX	Serial	7	180	1	1	1140x251x120	-	
DN-189e/7DX	Serial	7	180	1	2	1140x251x120	-	
DN-189e/8SX	Serial	8	180	1	1	1300x251x120	-	
DN-189e/8DX	Serial	8	180	1	2	1300x251x120	-	
DN-189e/9SX	Serial	9	180	1	1	1460x251x120	-	
DN-189e/9DX	Serial	9	180	1	2	1460x251x120	-	
DN-189e/10SX	Serial	10	180	1	1	1620x251x120	-	
DN-189e/10DX	Serial	10	180	1	2	1620x251x120	-	
DN-189ehX	Digit of 180mm.		Repeater RS-232/RS485. OUTDOOR USE.					
DN-189eh/2SX	Serial	2	180	1	1	340x251x120	-	

MODEL	Control	Digits	Heigh character mm	Lines	Sides	Measures in mm	Progr.	From PC
DN-189eh/2DX	Serial	2	180	1	2	340x251x120	-	
DN-189eh/3SX	Serial	3	180	1	1	500x251x120	-	
DN-189eh/3DX	Serial	3	180	1	2	500x251x120	-	
DN-189eh/4SX	Serial	4	180	1	1	660x251x120	-	
DN-189eh/4DX	Serial	4	180	1	2	660x251x120	-	
DN-189eh/5SX	Serial	5	180	1	1	820x251x120	-	
DN-189eh/5DX	Serial	5	180	1	2	820x251x120	-	
DN-189eh/6SX	Serial	6	180	1	1	980x251x120	-	
DN-189eh/6DX	Serial	6	180	1	2	980x251x120	-	
DN-189eh/7SX	Serial	7	180	1	1	1140x251x120	-	
DN-189eh/7DX	Serial	7	180	1	2	1140x251x120	-	
DN-189eh/8SX	Serial	8	180	1	1	1300x251x120	-	
DN-189eh/8DX	Serial	8	180	1	2	1300x251x120	-	
DN-189eh/9SX	Serial	9	180	1	1	1460x251x120	-	
DN-189eh/9DX	Serial	9	180	1	2	1460x251x120	-	
DN-189eh/10SX	Serial	10	180	1	1	1620x251x120	-	
DN-189eh/10DX	Serial	10	180	1	2	1620x251x120	-	

+TV	Option Text vinyl	+2	Models S		1	+320mm	
+TV	Option Text vinyl	+2	Models D		2	+320mm	

+24V	Option: Power supply 24Vcc						
------	----------------------------	--	--	--	--	--	--

MODEL	Control	Digits	Heigh character mm	Lines	Sides	Measures in mm	Progr. From PC
DN-109P	Digit of 57mm.		Control Binary. INDOOR USE				
DN-109/3SP	Binary	3	57	1	1	210x122x120	-
DN-109/3DP	Binary	3	57	1	3	288x122x120	-
DN-109/4SP	Binary	4	57	1	1	288x122x120	-
DN-109/4DP	Binary	4	57	1	2	288x122x120	-
DN-109/5SP	Binary	5	57	1	1	288x122x120	-
DN-109/5DP	Binary	5	57	1	2	288x122x120	-
DN-109/6SP	Binary	6	57	1	1	336x122x120	-
DN-109/6DP	Binary	6	57	1	2	336x122x120	-
DN-109/7SP	Binary	7	57	1	1	382x122x120	-
DN-109/7DP	Binary	7	57	1	2	382x122x120	-
DN-109/8SP	Binary	8	57	1	1	430x122x120	-
DN-109/8DP	Binary	8	57	1	2	430x122x120	-
DN-109/9SP	Binary	9	57	1	1	478x122x120	-
DN-109/9DP	Binary	9	57	1	2	478x122x120	-
DN-109/10SP	Binary	10	57	1	1	526x122x120	-
DN-109/10DP	Binary	10	57	1	2	526x122x120	-

DN-109C/P	57mm COLOR		Control Binary. INDOOR USE				
DN-109C/3SP	Binary	3	57	1	1	210x122x120	-
DN-109C/3DP	Binary	3	57	1	2	288x122x120	-
DN-109C/4SP	Binary	4	57	1	1	288x122x120	-
DN-109C/4DP	Binary	4	57	1	2	288x122x120	-
DN-109C/5SP	Binary	5	57	1	1	288x122x120	-
DN-109C/5DP	Binary	5	57	1	2	288x122x120	-
DN-109C/6SP	Binary	6	57	1	1	336x122x120	-
DN-109C/6DP	Binary	6	57	1	2	336x122x120	-
DN-109C/7SP	Binary	7	57	1	1	382x122x120	-
DN-109C/7DP	Binary	7	57	1	2	382x122x120	-
DN-109C/8SP	Binary	8	57	1	1	430x122x120	-
DN-109C/8DP	Binary	8	57	1	2	430x122x120	-
DN-109C/9SP	Binary	9	57	1	1	478x122x120	-
DN-109C/9DP	Binary	9	57	1	2	478x122x120	-
DN-109C/10SP	Binary	10	57	1	1	526x122x120	-
DN-109C/10DP	Binary	10	57	1	2	526x122x120	-

DN-109eP	Digit of 57mm.		Control Binary. IP65				
DN-109e/3SP	Binary	3	57	1	1	210x122x120	-
DN-109e/3DP	Binari	3	57	1	2	288x122x120	-
DN-109e/4SP	Binary	4	57	1	1	288x122x120	-
DN-109e/4DP	Binary	4	57	1	2	288x122x120	-
DN-109e/5SP	Binary	5	57	1	1	288x122x120	-
DN-109e/5DP	Binary	5	57	1	2	288x122x120	-
DN-109e/6SP	Binary	6	57	1	1	336x122x120	-
DN-109e/6DP	Binary	6	57	1	2	336x122x120	-
DN-109e/7SP	Binary	7	57	1	1	382x122x120	-
DN-109e/7DP	Binary	7	57	1	2	382x122x120	-
DN-109e/8SP	Binary	8	57	1	1	430x122x120	-
DN-109e/8DP	Binary	8	57	1	2	430x122x120	-
DN-109e/9SP	Binary	9	57	1	1	478x122x120	-
DN-109e/9DP	Binary	9	57	1	2	478x122x120	-
DN-109e/10SP	Binary	10	57	1	1	526x122x120	-
DN-109e/10DP	Binary	10	57	1	2	526x122x120	-

MODEL	Control	Digits	Heigh character mm	Lines	Sides	Measures in mm	Progr. From PC
-------	---------	--------	--------------------	-------	-------	----------------	----------------

DN-109CeP		Digit of 57mm.		Control Binary. IP65			
DN-109Ce/3SP	Binary	3	57	1	1	210x122x120	-
DN-109Ce/3DP	Binari	3	57	1	2	288x122x120	-
DN-109Ce/4SP	Binary	4	57	1	1	288x122x120	-
DN-109Ce/4DP	Binary	4	57	1	2	288x122x120	-
DN-109Ce/5SP	Binary	5	57	1	1	288x122x120	-
DN-109Ce/5DP	Binary	5	57	1	2	288x122x120	-
DN-109Ce/6SP	Binary	6	57	1	1	336x122x120	-
DN-109Ce/6DP	Binary	6	57	1	2	336x122x120	-
DN-109Ce/7SP	Binary	7	57	1	1	382x122x120	-
DN-109Ce/7DP	Binary	7	57	1	2	382x122x120	-
DN-109Ce/8SP	Binary	8	57	1	1	430x122x120	-
DN-109Ce/8DP	Binary	8	57	1	2	430x122x120	-
DN-109Ce/9SP	Binary	9	57	1	1	478x122x120	-
DN-109Ce/9DP	Binary	9	57	1	2	478x122x120	-
DN-109Ce/10SP	Binary	10	57	1	1	526x122x120	-
DN-109Ce/10DP	Binary	10	57	1	2	526x122x120	-

+R	Opti. Relays					IP41 / IP65	
+X	Option Serial L.					IP41	
+XR	Option Serial L.+Relay					IP41	
+eX	Option Serial L.					IP65	
+TL	Option Text leds	+2	Models S		1	+96mm	
+TV	Option Text vinyl	+2	Models S		1	+96mm	
+TL	Option Text leds	+2	Models D		2	+96mm	
+TV	Option Text vinyl	+2	Models D		2	+96mm	

+24V	Option: Power supply 24Vcc						
------	----------------------------	--	--	--	--	--	--

DN-119P		Digit of 100mm.		Control Binary. INDOOR USE			
DN-119/3SP	Binary	3	100	1	1	324x177x120	-
DN-119/3DP	Binari	3	100	1	2	414x177x120	-
DN-119/4SP	Binary	4	100	1	1	414x177x120	-
DN-119/4DP	Binary	4	100	1	2	414x177x120	-
DN-119/5SP	Binary	5	100	1	1	504x177x120	-
DN-119/5DP	Binary	5	100	1	2	504x177x120	-
DN-119/6SP	Binary	6	100	1	1	594x177x120	-
DN-119/6DP	Binary	6	100	1	2	594x177x120	-
DN-119/7SP	Binary	7	100	1	1	684x177x120	-
DN-119/7DP	Binary	7	100	1	2	684x177x120	-
DN-119/8SP	Binary	8	100	1	1	774x177x120	-
DN-119/8DP	Binary	8	100	1	2	774x177x120	-
DN-119/9SP	Binary	9	100	1	1	864x177x120	-
DN-119/9DP	Binary	9	100	1	2	864x177x120	-
DN-119/10SP	Binary	10	100	1	1	954x177x120	-
DN-119/10DP	Binary	10	100	1	2	954x177x120	-

DN-119CP		100mm COLOR		Control Binary. INDOOR USE			
DN-119C/3SP	Binary	3	100	1	1	324x177x120	-
DN-119C/3DP	Binari	3	100	1	2	414x177x120	-
DN-119C/4SP	Binary	4	100	1	1	414x177x120	-
DN-119C/4DP	Binary	4	100	1	2	414x177x120	-
DN-119C/5SP	Binary	5	100	1	1	504x177x120	-
DN-119C/5DP	Binary	5	100	1	2	504x177x120	-
DN-119C/6SP	Binary	6	100	1	1	594x177x120	-
DN-119C/6DP	Binary	6	100	1	2	594x177x120	-
DN-119C/7SP	Binary	7	100	1	1	684x177x120	-
DN-119C/7DP	Binary	7	100	1	2	684x177x120	-
DN-119C/8SP	Binary	8	100	1	1	774x177x120	-
DN-119C/8DP	Binary	8	100	1	2	774x177x120	-
DN-119C/9SP	Binary	9	100	1	1	864x177x120	-
DN-119C/9DP	Binary	9	100	1	2	864x177x120	-
DN-119C/10SP	Binary	10	100	1	1	954x177x120	-
DN-119C/10DP	Binary	10	100	1	2	954x177x120	-

MODEL	Control	Digits	Heigh character mm	Lines	Sides	Measures in mm	Progr. From PC
DN-119eP		Digit of 100mm.		Control Binary. IP65			
DN-119e/3SP	Binary	3	100	1	1	324x177x120	-
DN-119e/3DP	Binari	3	100	1	2	414x177x120	-
DN-119e/4SP	Binary	4	100	1	1	414x177x120	-
DN-119e/4DP	Binary	4	100	1	2	414x177x120	-
DN-119e/5SP	Binary	5	100	1	1	504x177x120	-
DN-119e/5DP	Binary	5	100	1	2	504x177x120	-
DN-119e/6SP	Binary	6	100	1	1	594x177x120	-
DN-119e/6DP	Binary	6	100	1	2	594x177x120	-
DN-119e/7SP	Binary	7	100	1	1	684x177x120	-
DN-119e/7DP	Binary	7	100	1	2	684x177x120	-
DN-119e/8SP	Binary	8	100	1	1	774x177x120	-
DN-119e/8DP	Binary	8	100	1	2	774x177x120	-
DN-119e/9SP	Binary	9	100	1	1	864x177x120	-
DN-119e/9DP	Binary	9	100	1	2	864x177x120	-
DN-119e/10SP	Binary	10	100	1	1	954x177x120	-
DN-119e/10DP	Binary	10	100	1	2	954x177x120	-

DN-119eP		100mm COLOR		Control Binary. IP65			
DN-119Ce/3SP	Binary	3	100	1	1	324x177x120	-
DN-119Ce/3DP	Binari	3	100	1	2	414x177x120	-
DN-119Ce/4SP	Binary	4	100	1	1	414x177x120	-
DN-119Ce/4DP	Binary	4	100	1	2	414x177x120	-
DN-119Ce/5SP	Binary	5	100	1	1	504x177x120	-
DN-119Ce/5DP	Binary	5	100	1	2	504x177x120	-
DN-119Ce/6SP	Binary	6	100	1	1	594x177x120	-
DN-119Ce/6DP	Binary	6	100	1	2	594x177x120	-
DN-119Ce/7SP	Binary	7	100	1	1	684x177x120	-
DN-119Ce/7DP	Binary	7	100	1	2	684x177x120	-
DN-119Ce/8SP	Binary	8	100	1	1	774x177x120	-
DN-119Ce/8DP	Binary	8	100	1	2	774x177x120	-
DN-119Ce/9SP	Binary	9	100	1	1	864x177x120	-
DN-119Ce/9DP	Binary	9	100	1	2	864x177x120	-
DN-119Ce/10SP	Binary	10	100	1	1	954x177x120	-
DN-119Ce/10DP	Binary	10	100	1	2	954x177x120	-

DN-119ehP		Digit of 100mm.		Control Binary. OUTDOOR USE			
DN-119eh/3SP	Binary	3	100	1	1	324x177x120	-
DN-119eh/3DP	Binari	3	100	1	2	414x177x120	-
DN-119eh/4SP	Binary	4	100	1	1	414x177x120	-
DN-119eh/4DP	Binary	4	100	1	2	414x177x120	-
DN-119eh/5SP	Binary	5	100	1	1	504x177x120	-
DN-119eh/5DP	Binary	5	100	1	2	504x177x120	-
DN-119eh/6SP	Binary	6	100	1	1	594x177x120	-
DN-119eh/6DP	Binary	6	100	1	2	594x177x120	-
DN-119eh/7SP	Binary	7	100	1	1	684x177x120	-
DN-119eh/7DP	Binary	7	100	1	2	684x177x120	-
DN-119eh/8SP	Binary	8	100	1	1	774x177x120	-
DN-119eh/8DP	Binary	8	100	1	2	774x177x120	-
DN-119eh/9SP	Binary	9	100	1	1	864x177x120	-
DN-119eh/9DP	Binary	9	100	1	2	864x177x120	-
DN-119eh/10SP	Binary	10	100	1	1	954x177x120	-
DN-119eh/10DP	Binary	10	100	1	2	954x177x120	-

+R	Opti. Relays					IP41 / IP65	
+X	Option Serial L.					IP41	
+XR	Option Serial L.+Relay					IP41	
+eX	Option Serial L.					IP65	
+TL	Option Text leds	+2	Models S		1	+180mm	
+TV	Option Text vinyl	+2	Models S		2	+180mm	
+TL	Option Text leds	+2	Models D		1	+180mm	
+TV	Option Text vinyl	+2	Models D		2	+180mm	

+24V	Option: Power supply 24Vcc						
------	----------------------------	--	--	--	--	--	--

MODEL	Control	Digits	Heigh character mm	Lines	Sides	Measures in mm	Progr. From PC
-------	---------	--------	--------------------	-------	-------	----------------	----------------

DN-129P		Digit of 250mm.		Control Binary. INDOOR USE			
DN-129/2SP (No tacom.)	Binary	2	250	1	1	515x366x120	-
DN-129/2DP (No tacom.)	Binary	2	250	1	2	515x366x120	-
DN-129/3SP	Binary	3	250	1	1	750x366x120	-
DN-129/3DP	Binary	3	250	1	2	750x366x120	-
DN-129/4SP	Binary	4	250	1	1	985x366x120	-
DN-129/4DP	Binary	4	250	1	2	985x366x120	-
DN-129/5SP	Binary	5	250	1	1	1220x366x120	-
DN-129/5DP	Binary	5	250	1	2	1220x366x120	-
DN-129/6SP	Binary	6	250	1	1	1455x366x120	-
DN-129/6DP	Binary	6	250	1	2	1455x366x120	-
DN-129/7SP	Binary	7	250	1	1	1690x366x120	-
DN-129/7DP	Binary	7	250	1	2	1690x366x120	-
DN-129/8SP	Binary	8	250	1	1	1925x366x120	-
DN-129/8DP	Binary	8	250	1	2	1925x366x120	-
DN-129/9SP	Binary	9	250	1	1	2160x366x120	-
DN-129/9DP	Binary	9	250	1	2	2160x366x120	-
DN-129/10SP	Binary	10	250	1	1	2395x366x120	-
DN-129/10DP	Binary	10	250	1	2	2395x366x120	-

+R	Opti. Relays					IP41 / IP65	
+X	Option Serial L.					IP41	
+XR	Option Serial L.+Relay					IP41	
+TV	Option Text vinyl	+2	Models S		1	+470mm	
+TV	Option Text vinyl	+2	Models D		2	+470mm	

+24V	Option: Power supply 24Vcc						
------	----------------------------	--	--	--	--	--	--

DN-189P		Digit of 180mm.		Control Binary. INDOOR USE			
DN-189/2SP (No tacom.)	Serial	2	180	1	1	340x251x120	-
DN-189/2DP (No tacom.)	Serial	2	180	1	2	340x251x120	-
DN-189/3SP	Serial	3	180	1	1	500x251x120	-
DN-189/3DP	Serial	3	180	1	2	500x251x120	-
DN-189/4SP	Serial	4	180	1	1	660x251x120	-
DN-189/4DP	Serial	4	180	1	2	660x251x120	-
DN-189/5SP	Serial	5	180	1	1	820x251x120	-
DN-189/5DP	Serial	5	180	1	2	820x251x120	-
DN-189/6SP	Serial	6	180	1	1	980x251x120	-
DN-189/6DP	Serial	6	180	1	2	980x251x120	-
DN-189/7SP	Serial	7	180	1	1	1140x251x120	-
DN-189/7DP	Serial	7	180	1	2	1140x251x120	-
DN-189/8SP	Serial	8	180	1	1	1300x251x120	-
DN-189/8DP	Serial	8	180	1	2	1300x251x120	-
DN-189/9SP	Serial	9	180	1	1	1460x251x120	-
DN-189/9DP	Serial	9	180	1	2	1460x251x120	-
DN-189/10SP	Serial	10	180	1	1	1620x251x120	-
DN-189/10DP	Serial	10	180	1	2	1620x251x120	-

DN-189eP		Digit of 180mm.		Control Binary. IP65			
DN-189e/2SP (No tacom.)	Serial	2	180	1	1	340x251x120	-
DN-189e/2DP (No tacom.)	Serial	2	180	1	2	340x251x120	-
DN-189e/3SP	Serial	3	180	1	1	500x251x120	-
DN-189e/3DP	Serial	3	180	1	2	500x251x120	-
DN-189e/4SP	Serial	4	180	1	1	660x251x120	-
DN-189e/4DP	Serial	4	180	1	2	660x251x120	-
DN-189e/5SP	Serial	5	180	1	1	820x251x120	-
DN-189e/5DP	Serial	5	180	1	2	820x251x120	-
DN-189e/6SP	Serial	6	180	1	1	980x251x120	-
DN-189e/6DP	Serial	6	180	1	2	980x251x120	-
DN-189e/7SP	Serial	7	180	1	1	1140x251x120	-
DN-189e/7DP	Serial	7	180	1	2	1140x251x120	-
DN-189e/8SP	Serial	8	180	1	1	1300x251x120	-
DN-189e/8DP	Serial	8	180	1	2	1300x251x120	-
DN-189e/9SP	Serial	9	180	1	1	1460x251x120	-
DN-189e/9DP	Serial	9	180	1	2	1460x251x120	-
DN-189e/10SP	Serial	10	180	1	1	1620x251x120	-
DN-189e/10DP	Serial	10	180	1	2	1620x251x120	-

MODEL	Control	Digits	Heigh character mm	Lines	Sides	Measures in mm	Progr. From PC
-------	---------	--------	--------------------	-------	-------	----------------	----------------

DN-189ehP		Digit of 180mm.		Control Binary. OUTDOOR USE			
DN-189eh/2SP (No tacom.)	Serial	2	180	1	1	340x251x120	-
DN-189eh/2DP (No tacom.)	Serial	2	180	1	2	340x251x120	-
DN-189eh/3SP	Serial	3	180	1	1	500x251x120	-
DN-189eh/3DP	Serial	3	180	1	2	500x251x120	-
DN-189eh/4SP	Serial	4	180	1	1	660x251x120	-
DN-189eh/4DP	Serial	4	180	1	2	660x251x120	-
DN-189eh/5SP	Serial	5	180	1	1	820x251x120	-
DN-189eh/5DP	Serial	5	180	1	2	820x251x120	-
DN-189eh/6SP	Serial	6	180	1	1	980x251x120	-
DN-189eh/6DP	Serial	6	180	1	2	980x251x120	-
DN-189eh/7SP	Serial	7	180	1	1	1140x251x120	-
DN-189eh/7DP	Serial	7	180	1	2	1140x251x120	-
DN-189eh/8SP	Serial	8	180	1	1	1300x251x120	-
DN-189eh/8DP	Serial	8	180	1	2	1300x251x120	-
DN-189eh/9SP	Serial	9	180	1	1	1460x251x120	-
DN-189eh/9DP	Serial	9	180	1	2	1460x251x120	-
DN-189eh/10SP	Serial	10	180	1	1	1620x251x120	-
DN-189eh/10DP	Serial	10	180	1	2	1620x251x120	-

+R	Opti. Relays					IP41 / IP65	
+X	Option Serial L.					IP41	
+XR	Option Serial L.+Relay					IP41	
+TV	Option Text vinyl	+2	Models S		1	+320mm	
+TV	Option Text vinyl	+2	Models D		2	+320mm	

+24V	Option: Power supply 24Vcc						
------	----------------------------	--	--	--	--	--	--

MODEL	Control	Digits	Heigh character mm	Lines	Sides	Measures in mm	COLOR
DN-109TH Digit of 57mm. Temperature and humidity. INDOOR USE							
DN-109/STH	Temp. and humid	5	57	1	1	288x122x120	-
DN-109/DTH	Temp. and humid	5	57	1	2	288x122x120	-
DN-109CTH 57mm COLOR Temperature and humidity. INDOOR USE							
DN-109C/STH	Temp. and humid	5	57	1	1	288x122x120	-
DN-109C/DTH	Temp. and humid	5	57	1	2	288x122x120	-
DN-109eTH Digit of 57mm. Temperature and humidity. IP65							
DN-109e/STH	Temp. and humid	5	57	1	1	288x122x120	-
DN-109e/DTH	Temp. and humid	5	57	1	2	288x122x120	-
+TL	Option Text leds	+2	Models S		1	+96mm	
+TV	Option Text vinyl	+2	Models S		1	+96mm	
+TL	Option Text leds	+2	Models D		2	+96mm	
+TV	Option Text vinyl	+2	Models D		2	+96mm	
+24V Option: Power supply 24Vcc							
DN-119TH Digit of 100mm. Temperature and humidity. INDOOR USE							
DN-119/STH	Temp. and humid	5	100	1	1	504x177x120	-
DN-119/DTH	Temp. and humid	5	100	1	2	504x177x120	-
DN-119/2TH Digit of 100mm. Temperatura i humitat Decret 1826/2009							
DN-119/2STH	Temp. and humid	3+2	100	2	1	520x320x40	Red
DN-119/2DTH	Temp. and humid	3+2	100	2	2	520x320x120	Red
DN-119/2STHX	Temp. I humit + X	3+2	100	2	1	520x320x40	Red
DN-119/2DTHX	Temp. I humit + X	3+2	100	2	2	520x320x120	Red
DN-119/2STHNE	Temp. I humit + NE	3+2	100	2	1	520x320x40	Red
DN-119/2DTHNE	Temp. I humit + NE	3+2	100	2	2	520x320x120	Red
DN-119/2STHNW	Temp. I humit + NW	3+2	100	2	1	520x320x40	Red
DN-119/2DTHNW	Temp. I humit + NW	3+2	100	2	2	520x320x120	Red
DN-119/2SRX	Repetidor X	3+2	100	2	1	520x320x40	Red
DN-119/2DRX	Repetidor X	3+2	100	2	2	520x320x120	Red
DN-119/2SRNE	Repetidor NE	3+2	100	2	1	520x320x40	Red
DN-119/2DRNE	Repetidor NE	3+2	100	2	2	520x320x120	Red
DN-119/2SRNW	Repetidor NW	3+2	100	2	1	520x320x40	Red
DN-119/2DRNW	Repetidor NW	3+2	100	2	2	520x320x120	Red
DN-119/2STHB	Temp. and humid	3+2	100	2	1	520x320x40	Blue
DN-119/2DTHB	Temp. and humid	3+2	100	2	2	520x320x120	Blue
DN-119/2STHXB	Temp. I humit + X	3+2	100	2	1	520x320x40	Blue
DN-119/2DTHXB	Temp. I humit + X	3+2	100	2	2	520x320x120	Blue
DN-119/2STHNEB	Temp. I humit + NE	3+2	100	2	1	520x320x40	Blue
DN-119/2DTHNEB	Temp. I humit + NE	3+2	100	2	2	520x320x120	Blue
DN-119/2STHNWB	Temp. I humit + NW	3+2	100	2	1	520x320x40	Blue
DN-119/2DTHNWB	Temp. I humit + NW	3+2	100	2	2	520x320x120	Blue
DN-119/2SRXB	Repetidor X	3+2	100	2	1	520x320x40	Blue
DN-119/2DRXB	Repetidor X	3+2	100	2	2	520x320x120	Blue
DN-119/2SRNEB	Repetidor NE	3+2	100	2	1	520x320x40	Blue
DN-119/2DRNEB	Repetidor NE	3+2	100	2	2	520x320x120	Blue
DN-119/2SRNWB	Repetidor NW	3+2	100	2	1	520x320x40	Blue
DN-119/2DRNWB	Repetidor NW	3+2	100	2	2	520x320x120	Blue
DN-119/2STHG	Temp. and humid	3+2	100	2	1	520x320x40	Green
DN-119/2DTHG	Temp. and humid	3+2	100	2	2	520x320x120	Green
DN-119/2STHXG	Temp. I humit + X	3+2	100	2	1	520x320x40	Green
DN-119/2DTHXG	Temp. I humit + X	3+2	100	2	2	520x320x120	Green
DN-119/2STHNEG	Temp. I humit + NE	3+2	100	2	1	520x320x40	Green
DN-119/2DTHNEG	Temp. I humit + NE	3+2	100	2	2	520x320x120	Green
DN-119/2STHNWG	Temp. I humit + NW	3+2	100	2	1	520x320x40	Green
DN-119/2DTHNWG	Temp. I humit + NW	3+2	100	2	2	520x320x120	Green
DN-119/2SRXG	Repetidor X	3+2	100	2	1	520x320x40	Green
DN-119/2DRXG	Repetidor X	3+2	100	2	2	520x320x120	Green
DN-119/2SRNEG	Repetidor NE	3+2	100	2	1	520x320x40	Green
DN-119/2DRNEG	Repetidor NE	3+2	100	2	2	520x320x120	Green
DN-119/2SRNWG	Repetidor NW	3+2	100	2	1	520x320x40	Green
DN-119/2DRNWG	Repetidor NW	3+2	100	2	2	520x320x120	Green

MODEL	Control	Digits	Heigh character mm	Lines	Sides	Measures in mm	COLOR
DN-119/2STHW	Temp. and humid	3+2	100	2	1	520x320x40	White
DN-119/2DTHW	Temp. and humid	3+2	100	2	2	520x320x120	White
DN-119/2STHXW	Temp. I humit + X	3+2	100	2	1	520x320x40	White
DN-119/2DTHXW	Temp. I humit + X	3+2	100	2	2	520x320x120	White
DN-119/2STHNEW	Temp. I humit + NE	3+2	100	2	1	520x320x40	White
DN-119/2DTHNEW	Temp. I humit + NE	3+2	100	2	2	520x320x120	White
DN-119/2STHNWW	Temp. I humit + NW	3+2	100	2	1	520x320x40	White
DN-119/2DTHNWW	Temp. I humit + NW	3+2	100	2	2	520x320x120	White
DN-119/2SRXW	Repetidor X	3+2	100	2	1	520x320x40	White
DN-119/2DRXW	Repetidor X	3+2	100	2	2	520x320x120	White
DN-119/2SRNEW	Repetidor NE	3+2	100	2	1	520x320x40	White
DN-119/2DRNEW	Repetidor NE	3+2	100	2	2	520x320x120	White
DN-119/2SRNWW	Repetidor NW	3+2	100	2	1	520x320x40	White
DN-119/2DRNWW	Repetidor NW	3+2	100	2	2	520x320x120	White

DN-119CTH		100mm COLOR		Temperature and humidity. INDOOR USE			
DN-119C/STH	Temp. and humid	5	100	1	1	504x177x120	-
DN-119C/DTH	Temp. and humid	5	100	1	2	504x177x120	-

DN-119eTH		Digit of 100mm.		Temperature and humidity. IP65			
DN-119e/STH	Temp. and humid	5	100	1	1	504x177x120	-
DN-119e/DTH	Temp. and humid	5	100	1	2	504x177x120	-

DN-119ehTH		Digit of 100mm.		Temperature and humidity. OUTDOOR USE			
DN-119eh/STH	Temp. and humid	5	100	1	1	504x177x120	-
DN-119eh/DTH	Temp. and humid	5	100	1	2	504x177x120	-

+TL	Option Text leds	+2	Models S		1	+180mm	
+TV	Option Text vinyl	+2	Models S		2	+180mm	
+TL	Option Text leds	+2	Models D		1	+180mm	
+TV	Option Text vinyl	+2	Models D		2	+180mm	

+24V	Option: Power supply 24Vcc						
------	----------------------------	--	--	--	--	--	--

DN-129TH		Digit of 250mm.		Temperature and humidity. INDOOR USE			
DN-129/STH	Temp. and humid	5	250	1	1	1220x366x120	-
DN-129/DTH	Temp. and humid	5	250	1	2	1220x366x120	-

+TV	Option Text vinyl	+2	Models S		1	+470mm	
+TV	Option Text vinyl	+2	Models D		2	+470mm	

+24V	Option: Power supply 24Vcc						
------	----------------------------	--	--	--	--	--	--

DN-189TH		Digit of 180mm.		Temperature and humidity. INDOOR USE			
DN-189/STH	Temp. and humid	5	180	1	1	820x251x120	-
DN-189/DTH	Temp. and humid	5	180	1	2	820x251x120	-

DN-189eTH		Digit of 180mm.		Temperature and humidity. IP65			
DN-189e/STH	Temp. and humid	5	180	1	1	820x251x120	-
DN-189e/DTH	Temp. and humid	5	180	1	2	820x251x120	-

DN-189ehTH		Digit of 180mm.		Temperature and humidity. OUTDOOR USE			
DN-189eh/STH	Temp. and humid	5	180	1	1	820x251x120	-
DN-189eh/DTH	Temp. and humid	5	180	1	2	820x251x120	-

+TV	Option Text vinyl	+2	Models S		1	+320mm	
+TV	Option Text vinyl	+2	Models D		2	+320mm	

+24V	Option: Power supply 24Vcc						
------	----------------------------	--	--	--	--	--	--

MODEL	Control	Digits	Heigh character mm	Lines	Sides	Measures in mm	Progr. From PC
DN-109ND	Digit of 57mm.		DeviceNet. INDOOR				
DN-109/3SND	DeviceNet	3	57	1	1	210x122x120	-
DN-109/3DND	DeviceNet	3	57	1	2	288x122x120	-
DN-109/4SND	DeviceNet	4	57	1	1	288x122x120	-
DN-109/4DND	DeviceNet	4	57	1	2	288x122x120	-
DN-109/5SND	DeviceNet	5	57	1	1	288x122x120	-
DN-109/5DND	DeviceNet	5	57	1	2	288x122x120	-
DN-109/6SND	DeviceNet	6	57	1	1	336x122x120	-
DN-109/6DND	DeviceNet	6	57	1	2	336x122x120	-
DN-109/7SND	DeviceNet	7	57	1	1	382x122x120	-
DN-109/7DND	DeviceNet	7	57	1	2	382x122x120	-
DN-109/8SND	DeviceNet	8	57	1	1	430x122x120	-
DN-109/8DND	DeviceNet	8	57	1	2	430x122x120	-
DN-109/9SND	DeviceNet	9	57	1	1	478x122x120	-
DN-109/9DND	DeviceNet	9	57	1	2	478x122x120	-
DN-109/10SND	DeviceNet	10	57	1	1	526x122x120	-
DN-109/10DND	DeviceNet	10	57	1	2	526x122x120	-

DN-109C/ND	57mm COLOR		DeviceNet. INDOOR				
DN-109C/3SND	DeviceNet	3	57	1	1	210x122x120	-
DN-109C/3DND	DeviceNet	3	57	1	2	288x122x120	-
DN-109C/4SND	DeviceNet	4	57	1	1	288x122x120	-
DN-109C/4DND	DeviceNet	4	57	1	2	288x122x120	-
DN-109C/5SND	DeviceNet	5	57	1	1	288x122x120	-
DN-109C/5DND	DeviceNet	5	57	1	2	288x122x120	-
DN-109C/6SND	DeviceNet	6	57	1	1	336x122x120	-
DN-109C/6DND	DeviceNet	6	57	1	2	336x122x120	-
DN-109C/7SND	DeviceNet	7	57	1	1	382x122x120	-
DN-109C/7DND	DeviceNet	7	57	1	2	382x122x120	-
DN-109C/8SND	DeviceNet	8	57	1	1	430x122x120	-
DN-109C/8DND	DeviceNet	8	57	1	2	430x122x120	-
DN-109C/9SND	DeviceNet	9	57	1	1	478x122x120	-
DN-109C/9DND	DeviceNet	9	57	1	2	478x122x120	-
DN-109C/10SND	DeviceNet	10	57	1	1	526x122x120	-
DN-109C/10DND	DeviceNet	10	57	1	2	526x122x120	-

DN-109eND	Digit of 57mm.		DeviceNet IP65				
DN-109e/3SND	DeviceNet	3	57	1	1	210x122x120	-
DN-109e/3DND	DeviceNet	3	57	1	2	288x122x120	-
DN-109e/4SND	DeviceNet	4	57	1	1	288x122x120	-
DN-109e/4DND	DeviceNet	4	57	1	2	288x122x120	-
DN-109e/5SND	DeviceNet	5	57	1	1	288x122x120	-
DN-109e/5DND	DeviceNet	5	57	1	2	288x122x120	-
DN-109e/6SND	DeviceNet	6	57	1	1	336x122x120	-
DN-109e/6DND	DeviceNet	6	57	1	2	336x122x120	-
DN-109e/7SND	DeviceNet	7	57	1	1	382x122x120	-
DN-109e/7DND	DeviceNet	7	57	1	2	382x122x120	-
DN-109e/8SND	DeviceNet	8	57	1	1	430x122x120	-
DN-109e/8DND	DeviceNet	8	57	1	2	430x122x120	-
DN-109e/9SND	DeviceNet	9	57	1	1	478x122x120	-
DN-109e/9DND	DeviceNet	9	57	1	2	478x122x120	-
DN-109e/10SND	DeviceNet	10	57	1	1	526x122x120	-
DN-109e/10DND	DeviceNet	10	57	1	2	526x122x120	-

MODEL	Control	Digits	Heigh character mm	Lines	Sides	Measures in mm	Progr. From PC
DN-109CeND		57mm COLOR		DeviceNet IP65			
DN-109Ce/3SND	DeviceNet	3	57	1	1	210x122x120	-
DN-109Ce/3DND	DeviceNet	3	57	1	2	288x122x120	-
DN-109Ce/4SND	DeviceNet	4	57	1	1	288x122x120	-
DN-109Ce/4DND	DeviceNet	4	57	1	2	288x122x120	-
DN-109Ce/5SND	DeviceNet	5	57	1	1	288x122x120	-
DN-109Ce/5DND	DeviceNet	5	57	1	2	288x122x120	-
DN-109Ce/6SND	DeviceNet	6	57	1	1	336x122x120	-
DN-109Ce/6DND	DeviceNet	6	57	1	2	336x122x120	-
DN-109Ce/7SND	DeviceNet	7	57	1	1	382x122x120	-
DN-109Ce/7DND	DeviceNet	7	57	1	2	382x122x120	-
DN-109Ce/8SND	DeviceNet	8	57	1	1	430x122x120	-
DN-109Ce/8DND	DeviceNet	8	57	1	2	430x122x120	-
DN-109Ce/9SND	DeviceNet	9	57	1	1	478x122x120	-
DN-109Ce/9DND	DeviceNet	9	57	1	2	478x122x120	-
DN-109Ce/10SND	DeviceNet	10	57	1	1	526x122x120	-
DN-109Ce/10DND	DeviceNet	10	57	1	2	526x122x120	-

+TL	Option Text leds	+2	Models S		1	+96mm	
+TV	Option Text vinyl	+2	Models S		1	+96mm	
+TL	Option Text leds	+2	Models D		2	+96mm	
+TV	Option Text vinyl	+2	Models D		2	+96mm	

+24V	Option: Power supply 24Vcc						
------	----------------------------	--	--	--	--	--	--

DN-119ND		Digit of 100mm.		DeviceNet. INDOOR			
DN-119/3SND	DeviceNet	3	100	1	1	324x177x120	-
DN-119/3DND	DeviceNet	3	100	1	2	414x177x120	-
DN-119/4SND	DeviceNet	4	100	1	1	414x177x120	-
DN-119/4DND	DeviceNet	4	100	1	2	414x177x120	-
DN-119/5SND	DeviceNet	5	100	1	1	504x177x120	-
DN-119/5DND	DeviceNet	5	100	1	2	504x177x120	-
DN-119/6SND	DeviceNet	6	100	1	1	594x177x120	-
DN-119/6DND	DeviceNet	6	100	1	2	594x177x120	-
DN-119/7SND	DeviceNet	7	100	1	1	684x177x120	-
DN-119/7DND	DeviceNet	7	100	1	2	684x177x120	-
DN-119/8SND	DeviceNet	8	100	1	1	774x177x120	-
DN-119/8DND	DeviceNet	8	100	1	2	774x177x120	-
DN-119/9SND	DeviceNet	9	100	1	1	864x177x120	-
DN-119/9DND	DeviceNet	9	100	1	2	864x177x120	-
DN-119/10SND	DeviceNet	10	100	1	1	954x177x120	-
DN-119/10DND	DeviceNet	10	100	1	2	954x177x120	-

DN-119CND		100mm COLOR		DeviceNet. INDOOR			
DN-119C/3SND	DeviceNet	3	100	1	1	324x177x120	-
DN-119C/3DND	DeviceNet	3	100	1	2	414x177x120	-
DN-119C/4SND	DeviceNet	4	100	1	1	414x177x120	-
DN-119C/4DND	DeviceNet	4	100	1	2	414x177x120	-
DN-119C/5SND	DeviceNet	5	100	1	1	504x177x120	-
DN-119C/5DND	DeviceNet	5	100	1	2	504x177x120	-
DN-119C/6SND	DeviceNet	6	100	1	1	594x177x120	-
DN-119C/6DND	DeviceNet	6	100	1	2	594x177x120	-
DN-119C/7SND	DeviceNet	7	100	1	1	684x177x120	-
DN-119C/7DND	DeviceNet	7	100	1	2	684x177x120	-
DN-119C/8SND	DeviceNet	8	100	1	1	774x177x120	-
DN-119C/8DND	DeviceNet	8	100	1	2	774x177x120	-
DN-119C/9SND	DeviceNet	9	100	1	1	864x177x120	-
DN-119C/9DND	DeviceNet	9	100	1	2	864x177x120	-
DN-119C/10SND	DeviceNet	10	100	1	1	954x177x120	-
DN-119C/10DND	DeviceNet	10	100	1	2	954x177x120	-

MODEL	Control	Digits	Heigh character mm	Lines	Sides	Measures in mm	Progr. From PC
DN-119eND	Digit of 100mm.		DeviceNet IP65				
DN-119e/3SND	DeviceNet	3	100	1	1	324x177x120	-
DN-119e/3DND	DeviceNet	3	100	1	3	414x177x120	-
DN-119e/4SND	DeviceNet	4	100	1	1	414x177x120	-
DN-119e/4DND	DeviceNet	4	100	1	2	414x177x120	-
DN-119e/5SND	DeviceNet	5	100	1	1	504x177x120	-
DN-119e/5DND	DeviceNet	5	100	1	2	504x177x120	-
DN-119e/6SND	DeviceNet	6	100	1	1	594x177x120	-
DN-119e/6DND	DeviceNet	6	100	1	2	594x177x120	-
DN-119e/7SND	DeviceNet	7	100	1	1	684x177x120	-
DN-119e/7DND	DeviceNet	7	100	1	2	684x177x120	-
DN-119e/8SND	DeviceNet	8	100	1	1	774x177x120	-
DN-119e/8DND	DeviceNet	8	100	1	2	774x177x120	-
DN-119e/9SND	DeviceNet	9	100	1	1	864x177x120	-
DN-119e/9DND	DeviceNet	9	100	1	2	864x177x120	-
DN-119e/10SND	DeviceNet	10	100	1	1	954x177x120	-
DN-119e/10DND	DeviceNet	10	100	1	2	954x177x120	-

DN-119CeND	100mm COLOR		DeviceNet IP65				
DN-119Ce/3SND	DeviceNet	3	100	1	1	324x177x120	-
DN-119Ce/3DND	DeviceNet	3	100	1	3	414x177x120	-
DN-119Ce/4SND	DeviceNet	4	100	1	1	414x177x120	-
DN-119Ce/4DND	DeviceNet	4	100	1	2	414x177x120	-
DN-119Ce/5SND	DeviceNet	5	100	1	1	504x177x120	-
DN-119Ce/5DND	DeviceNet	5	100	1	2	504x177x120	-
DN-119Ce/6SND	DeviceNet	6	100	1	1	594x177x120	-
DN-119Ce/6DND	DeviceNet	6	100	1	2	594x177x120	-
DN-119Ce/7SND	DeviceNet	7	100	1	1	684x177x120	-
DN-119Ce/7DND	DeviceNet	7	100	1	2	684x177x120	-
DN-119Ce/8SND	DeviceNet	8	100	1	1	774x177x120	-
DN-119Ce/8DND	DeviceNet	8	100	1	2	774x177x120	-
DN-119Ce/9SND	DeviceNet	9	100	1	1	864x177x120	-
DN-119Ce/9DND	DeviceNet	9	100	1	2	864x177x120	-
DN-119Ce/10SND	DeviceNet	10	100	1	1	954x177x120	-
DN-119Ce/10DND	DeviceNet	10	100	1	2	954x177x120	-

DN-119ehND	Digit of 100mm.		DeviceNet. OUTDOOR				
DN-119eh/3SND	DeviceNet	3	100	1	1	324x177x120	-
DN-119eh/3DND	DeviceNet	3	100	1	2	414x177x120	-
DN-119eh/4SND	DeviceNet	4	100	1	1	414x177x120	-
DN-119eh/4DND	DeviceNet	4	100	1	2	414x177x120	-
DN-119eh/5SND	DeviceNet	5	100	1	1	504x177x120	-
DN-119eh/5DND	DeviceNet	5	100	1	2	504x177x120	-
DN-119eh/6SND	DeviceNet	6	100	1	1	594x177x120	-
DN-119eh/6DND	DeviceNet	6	100	1	2	594x177x120	-
DN-119eh/7SND	DeviceNet	7	100	1	1	684x177x120	-
DN-119eh/7DND	DeviceNet	7	100	1	2	684x177x120	-
DN-119eh/8SND	DeviceNet	8	100	1	1	774x177x120	-
DN-119eh/8DND	DeviceNet	8	100	1	2	774x177x120	-
DN-119eh/9SND	DeviceNet	9	100	1	1	864x177x120	-
DN-119eh/9DND	DeviceNet	9	100	1	2	864x177x120	-
DN-119eh/10SND	DeviceNet	10	100	1	1	954x177x120	-
DN-119eh/10DND	DeviceNet	10	100	1	2	954x177x120	-

+TL	Option Text leds	+2	Models S		1	+180mm	
+TV	Option Text vinyl	+2	Models S		2	+180mm	
+TL	Option Text leds	+2	Models D		1	+180mm	
+TV	Option Text vinyl	+2	Models D		2	+180mm	

+24V	Option: Power supply 24Vcc						
------	----------------------------	--	--	--	--	--	--

MODEL	Control	Digits	Heigh character mm	Lines	Sides	Measures in mm	Progr. From PC
-------	---------	--------	--------------------	-------	-------	----------------	----------------

DN-129ND		Digit of 250mm.		DeviceNet. INDOOR			
DN-129/2SND	DeviceNet	2	250	1	1	515x366x120	-
DN-129/2DND	DeviceNet	2	250	1	2	515x366x120	-
DN-129/3SND	DeviceNet	3	250	1	1	750x366x120	-
DN-129/3DND	DeviceNet	3	250	1	2	750x366x120	-
DN-129/4SND	DeviceNet	4	250	1	1	985x366x120	-
DN-129/4DND	DeviceNet	4	250	1	2	985x366x120	-
DN-129/5SND	DeviceNet	5	250	1	1	1220x366x120	-
DN-129/5DND	DeviceNet	5	250	1	2	1220x366x120	-
DN-129/6SND	DeviceNet	6	250	1	1	1455x366x120	-
DN-129/6DND	DeviceNet	6	250	1	2	1455x366x120	-
DN-129/7SND	DeviceNet	7	250	1	1	1690x366x120	-
DN-129/7DND	DeviceNet	7	250	1	2	1690x366x120	-
DN-129/8SND	DeviceNet	8	250	1	1	1925x366x120	-
DN-129/8DND	DeviceNet	8	250	1	2	1925x366x120	-
DN-129/9SND	DeviceNet	9	250	1	1	2160x366x120	-
DN-129/9DND	DeviceNet	9	250	1	2	2160x366x120	-
DN-129/10SND	DeviceNet	10	250	1	1	2395x366x120	-
DN-129/10DND	DeviceNet	10	250	1	2	2395x366x120	-

+TV	Option Text vinyl	+2	Models S		1	+470mm	
+TV	Option Text vinyl	+2	Models D		2	+470mm	

+24V	Option: Power supply 24Vcc						
------	----------------------------	--	--	--	--	--	--

DN-189ND		Digit of 180mm.		DeviceNet. INDOOR			
DN-189/2SND	Serial	2	180	1	1	340x251x120	-
DN-189/2DND	Serial	2	180	1	2	340x251x120	-
DN-189/3SND	Serial	3	180	1	1	500x251x120	-
DN-189/3DND	Serial	3	180	1	2	500x251x120	-
DN-189/4SND	Serial	4	180	1	1	660x251x120	-
DN-189/4DND	Serial	4	180	1	2	660x251x120	-
DN-189/5SND	Serial	5	180	1	1	820x251x120	-
DN-189/5DND	Serial	5	180	1	2	820x251x120	-
DN-189/6SND	Serial	6	180	1	1	980x251x120	-
DN-189/6DND	Serial	6	180	1	2	980x251x120	-
DN-189/7SND	Serial	7	180	1	1	1140x251x120	-
DN-189/7DND	Serial	7	180	1	2	1140x251x120	-
DN-189/8SND	Serial	8	180	1	1	1300x251x120	-
DN-189/8DND	Serial	8	180	1	2	1300x251x120	-
DN-189/9SND	Serial	9	180	1	1	1460x251x120	-
DN-189/9DND	Serial	9	180	1	2	1460x251x120	-
DN-189/10SND	Serial	10	180	1	1	1620x251x120	-
DN-189/10DND	Serial	10	180	1	2	1620x251x120	-

DN-189eND		Digit of 180mm.		DeviceNet IP65			
DN-189e/2SND	Serial	2	180	1	1	340x251x120	-
DN-189e/2DND	Serial	2	180	1	2	340x251x120	-
DN-189e/3SND	Serial	3	180	1	1	500x251x120	-
DN-189e/3DND	Serial	3	180	1	2	500x251x120	-
DN-189e/4SND	Serial	4	180	1	1	660x251x120	-
DN-189e/4DND	Serial	4	180	1	2	660x251x120	-
DN-189e/5SND	Serial	5	180	1	1	820x251x120	-
DN-189e/5DND	Serial	5	180	1	2	820x251x120	-
DN-189e/6SND	Serial	6	180	1	1	980x251x120	-
DN-189e/6DND	Serial	6	180	1	2	980x251x120	-
DN-189e/7SND	Serial	7	180	1	1	1140x251x120	-
DN-189e/7DND	Serial	7	180	1	2	1140x251x120	-
DN-189e/8SND	Serial	8	180	1	1	1300x251x120	-
DN-189e/8DND	Serial	8	180	1	2	1300x251x120	-
DN-189e/9SND	Serial	9	180	1	1	1460x251x120	-
DN-189e/9DND	Serial	9	180	1	2	1460x251x120	-
DN-189e/10SND	Serial	10	180	1	1	1620x251x120	-
DN-189e/10DND	Serial	10	180	1	2	1620x251x120	-

DN-189ehND		Digit of 180mm.		DeviceNet. OUTDOOR			
DN-189eh/2SND	Serial	2	180	1	1	340x251x120	-

MODEL	Control	Digits	Heigh character mm	Lines	Sides	Measures in mm	Progr. From PC
DN-189eh/2DND	Serial	2	180	1	2	340x251x120	-
DN-189eh/3SND	Serial	3	180	1	1	500x251x120	-
DN-189eh/3DND	Serial	3	180	1	2	500x251x120	-
DN-189eh/4SND	Serial	4	180	1	1	660x251x120	-
DN-189eh/4DND	Serial	4	180	1	2	660x251x120	-
DN-189eh/5SND	Serial	5	180	1	1	820x251x120	-
DN-189eh/5DND	Serial	5	180	1	2	820x251x120	-
DN-189eh/6SND	Serial	6	180	1	1	980x251x120	-
DN-189eh/6DND	Serial	6	180	1	2	980x251x120	-
DN-189eh/7SND	Serial	7	180	1	1	1140x251x120	-
DN-189eh/7DND	Serial	7	180	1	2	1140x251x120	-
DN-189eh/8SND	Serial	8	180	1	1	1300x251x120	-
DN-189eh/8DND	Serial	8	180	1	2	1300x251x120	-
DN-189eh/9SND	Serial	9	180	1	1	1460x251x120	-
DN-189eh/9DND	Serial	9	180	1	2	1460x251x120	-
DN-189eh/10SND	Serial	10	180	1	1	1620x251x120	-
DN-189eh/10DND	Serial	10	180	1	2	1620x251x120	-

+TV	Option Text vinyl	+2	Models S		1	+320mm	
+TV	Option Text vinyl	+2	Models D		2	+320mm	
+24V	Option: Power supply 24Vcc						

MODEL	Control	Digits	Heigh character mm	Lines	Sides	Measures in mm	Progr. From PC
DN-109NE	Digit of 57mm.		Ethernet. INDOOR				
DN-109/3SNE	Ethernet	3	57	1	1	210x122x120	-
DN-109/3DNE	Ethernet	3	57	1	2	288x122x120	-
DN-109/4SNE	Ethernet	4	57	1	1	288x122x120	-
DN-109/4DNE	Ethernet	4	57	1	2	288x122x120	-
DN-109/5SNE	Ethernet	5	57	1	1	288x122x120	-
DN-109/5DNE	Ethernet	5	57	1	2	288x122x120	-
DN-109/6SNE	Ethernet	6	57	1	1	336x122x120	-
DN-109/6DNE	Ethernet	6	57	1	2	336x122x120	-
DN-109/7SNE	Ethernet	7	57	1	1	382x122x120	-
DN-109/7DNE	Ethernet	7	57	1	2	382x122x120	-
DN-109/8SNE	Ethernet	8	57	1	1	430x122x120	-
DN-109/8DNE	Ethernet	8	57	1	2	430x122x120	-
DN-109/9SNE	Ethernet	9	57	1	1	478x122x120	-
DN-109/9DNE	Ethernet	9	57	1	2	478x122x120	-
DN-109/10SNE	Ethernet	10	57	1	1	526x122x120	-
DN-109/10DNE	Ethernet	10	57	1	2	526x122x120	-

DN-109CNE	57mm COLOR		Ethernet. INDOOR				
DN-109C/3SNE	Ethernet	3	57	1	1	210x122x120	-
DN-109C/3DNE	Ethernet	3	57	1	2	288x122x120	-
DN-109C/4SNE	Ethernet	4	57	1	1	288x122x120	-
DN-109C/4DNE	Ethernet	4	57	1	2	288x122x120	-
DN-109C/5SNE	Ethernet	5	57	1	1	288x122x120	-
DN-109C/5DNE	Ethernet	5	57	1	2	288x122x120	-
DN-109C/6SNE	Ethernet	6	57	1	1	336x122x120	-
DN-109C/6DNE	Ethernet	6	57	1	2	336x122x120	-
DN-109C/7SNE	Ethernet	7	57	1	1	382x122x120	-
DN-109C/7DNE	Ethernet	7	57	1	2	382x122x120	-
DN-109C/8SNE	Ethernet	8	57	1	1	430x122x120	-
DN-109C/8DNE	Ethernet	8	57	1	2	430x122x120	-
DN-109C/9SNE	Ethernet	9	57	1	1	478x122x120	-
DN-109C/9DNE	Ethernet	9	57	1	2	478x122x120	-
DN-109C/10SNE	Ethernet	10	57	1	1	526x122x120	-
DN-109C/10DNE	Ethernet	10	57	1	2	526x122x120	-

DN-109eNE	Digit of 57mm.		Ethernet IP65				
DN-109e/3SNE	Ethernet	3	57	1	1	210x122x120	-
DN-109e/3DNE	Ethernet	3	57	1	2	288x122x120	-
DN-109e/4SNE	Ethernet	4	57	1	1	288x122x120	-
DN-109e/4DNE	Ethernet	4	57	1	2	288x122x120	-
DN-109e/5SNE	Ethernet	5	57	1	1	288x122x120	-
DN-109e/5DNE	Ethernet	5	57	1	2	288x122x120	-
DN-109e/6SNE	Ethernet	6	57	1	1	336x122x120	-
DN-109e/6DNE	Ethernet	6	57	1	2	336x122x120	-
DN-109e/7SNE	Ethernet	7	57	1	1	382x122x120	-
DN-109e/7DNE	Ethernet	7	57	1	2	382x122x120	-
DN-109e/8SNE	Ethernet	8	57	1	1	430x122x120	-
DN-109e/8DNE	Ethernet	8	57	1	2	430x122x120	-
DN-109e/9SNE	Ethernet	9	57	1	1	478x122x120	-
DN-109e/9DNE	Ethernet	9	57	1	2	478x122x120	-
DN-109e/10SNE	Ethernet	10	57	1	1	526x122x120	-
DN-109e/10DNE	Ethernet	10	57	1	2	526x122x120	-

MODEL	Control	Digits	Heigh character mm	Lines	Sides	Measures in mm	Progr. From PC
DN-109CeNE		57mm COLOR		Ethernet IP65			
DN-109Ce/3SNE	Ethernet	3	57	1	1	210x122x120	-
DN-109Ce/3DNE	Ethernet	3	57	1	2	288x122x120	-
DN-109Ce/4SNE	Ethernet	4	57	1	1	288x122x120	-
DN-109Ce/4DNE	Ethernet	4	57	1	2	288x122x120	-
DN-109Ce/5SNE	Ethernet	5	57	1	1	288x122x120	-
DN-109Ce/5DNE	Ethernet	5	57	1	2	288x122x120	-
DN-109Ce/6SNE	Ethernet	6	57	1	1	336x122x120	-
DN-109Ce/6DNE	Ethernet	6	57	1	2	336x122x120	-
DN-109Ce/7SNE	Ethernet	7	57	1	1	382x122x120	-
DN-109Ce/7DNE	Ethernet	7	57	1	2	382x122x120	-
DN-109Ce/8SNE	Ethernet	8	57	1	1	430x122x120	-
DN-109Ce/8DNE	Ethernet	8	57	1	2	430x122x120	-
DN-109Ce/9SNE	Ethernet	9	57	1	1	478x122x120	-
DN-109Ce/9DNE	Ethernet	9	57	1	2	478x122x120	-
DN-109Ce/10SNE	Ethernet	10	57	1	1	526x122x120	-
DN-109Ce/10DNE	Ethernet	10	57	1	2	526x122x120	-

+TL	Option Text leds	+2	Models S		1	+96mm	
+TV	Option Text vinyl	+2	Models S		1	+96mm	
+TL	Option Text leds	+2	Models D		2	+96mm	
+TV	Option Text vinyl	+2	Models D		2	+96mm	

+24V	Option: Power supply 24Vcc						
------	----------------------------	--	--	--	--	--	--

DN-119NE		Digit of 100mm.		Ethernet. INDOOR			
DN-119/3SNE	Ethernet	3	100	1	1	324x177x120	-
DN-119/3DNE	Ethernet	3	100	1	2	414x177x120	-
DN-119/4SNE	Ethernet	4	100	1	1	414x177x120	-
DN-119/4DNE	Ethernet	4	100	1	2	414x177x120	-
DN-119/5SNE	Ethernet	5	100	1	1	504x177x120	-
DN-119/5DNE	Ethernet	5	100	1	2	504x177x120	-
DN-119/6SNE	Ethernet	6	100	1	1	594x177x120	-
DN-119/6DNE	Ethernet	6	100	1	2	594x177x120	-
DN-119/7SNE	Ethernet	7	100	1	1	684x177x120	-
DN-119/7DNE	Ethernet	7	100	1	2	684x177x120	-
DN-119/8SNE	Ethernet	8	100	1	1	774x177x120	-
DN-119/8DNE	Ethernet	8	100	1	2	774x177x120	-
DN-119/9SNE	Ethernet	9	100	1	1	864x177x120	-
DN-119/9DNE	Ethernet	9	100	1	2	864x177x120	-
DN-119/10SNE	Ethernet	10	100	1	1	954x177x120	-
DN-119/10DNE	Ethernet	10	100	1	2	954x177x120	-

DN-119CNE		100mm COLOR		Ethernet. INDOOR			
DN-119C/3SNE	Ethernet	3	100	1	1	324x177x120	-
DN-119C/3DNE	Ethernet	3	100	1	2	414x177x120	-
DN-119C/4SNE	Ethernet	4	100	1	1	414x177x120	-
DN-119C/4DNE	Ethernet	4	100	1	2	414x177x120	-
DN-119C/5SNE	Ethernet	5	100	1	1	504x177x120	-
DN-119C/5DNE	Ethernet	5	100	1	2	504x177x120	-
DN-119C/6SNE	Ethernet	6	100	1	1	594x177x120	-
DN-119C/6DNE	Ethernet	6	100	1	2	594x177x120	-
DN-119C/7SNE	Ethernet	7	100	1	1	684x177x120	-
DN-119C/7DNE	Ethernet	7	100	1	2	684x177x120	-
DN-119C/8SNE	Ethernet	8	100	1	1	774x177x120	-
DN-119C/8DNE	Ethernet	8	100	1	2	774x177x120	-
DN-119C/9SNE	Ethernet	9	100	1	1	864x177x120	-
DN-119C/9DNE	Ethernet	9	100	1	2	864x177x120	-
DN-119C/10SNE	Ethernet	10	100	1	1	954x177x120	-
DN-119C/10DNE	Ethernet	10	100	1	2	954x177x120	-

MODEL	Control	Digits	Heigh character mm	Lines	Sides	Measures in mm	Progr. From PC
DN-119eNE		Digit of 100mm.		Ethernet IP65			
DN-119e/3SNE	Ethernet	3	100	1	1	324x177x120	-
DN-119e/3DNE	Ethernet	3	100	1	2	414x177x120	-
DN-119e/4SNE	Ethernet	4	100	1	1	414x177x120	-
DN-119e/4DNE	Ethernet	4	100	1	2	414x177x120	-
DN-119e/5SNE	Ethernet	5	100	1	1	504x177x120	-
DN-119e/5DNE	Ethernet	5	100	1	2	504x177x120	-
DN-119e/6SNE	Ethernet	6	100	1	1	594x177x120	-
DN-119e/6DNE	Ethernet	6	100	1	2	594x177x120	-
DN-119e/7SNE	Ethernet	7	100	1	1	684x177x120	-
DN-119e/7DNE	Ethernet	7	100	1	2	684x177x120	-
DN-119e/8SNE	Ethernet	8	100	1	1	774x177x120	-
DN-119e/8DNE	Ethernet	8	100	1	2	774x177x120	-
DN-119e/9SNE	Ethernet	9	100	1	1	864x177x120	-
DN-119e/9DNE	Ethernet	9	100	1	2	864x177x120	-
DN-119e/10SNE	Ethernet	10	100	1	1	954x177x120	-
DN-119e/10DNE	Ethernet	10	100	1	2	954x177x120	-

DN-119CeNE		100mm COLOR		Ethernet IP65			
DN-119Ce/3SNE	Ethernet	3	100	1	1	324x177x120	-
DN-119Ce/3DNE	Ethernet	3	100	1	2	414x177x120	-
DN-119Ce/4SNE	Ethernet	4	100	1	1	414x177x120	-
DN-119Ce/4DNE	Ethernet	4	100	1	2	414x177x120	-
DN-119Ce/5SNE	Ethernet	5	100	1	1	504x177x120	-
DN-119Ce/5DNE	Ethernet	5	100	1	2	504x177x120	-
DN-119Ce/6SNE	Ethernet	6	100	1	1	594x177x120	-
DN-119Ce/6DNE	Ethernet	6	100	1	2	594x177x120	-
DN-119Ce/7SNE	Ethernet	7	100	1	1	684x177x120	-
DN-119Ce/7DNE	Ethernet	7	100	1	2	684x177x120	-
DN-119Ce/8SNE	Ethernet	8	100	1	1	774x177x120	-
DN-119Ce/8DNE	Ethernet	8	100	1	2	774x177x120	-
DN-119Ce/9SNE	Ethernet	9	100	1	1	864x177x120	-
DN-119Ce/9DNE	Ethernet	9	100	1	2	864x177x120	-
DN-119Ce/10SNE	Ethernet	10	100	1	1	954x177x120	-
DN-119Ce/10DNE	Ethernet	10	100	1	2	954x177x120	-

DN-119ehNE		Digit of 100mm.		Ethernet. OUTDOOR			
DN-119eh/3SNE	Ethernet	3	100	1	1	324x177x120	-
DN-119eh/3DNE	Ethernet	3	100	1	2	414x177x120	-
DN-119eh/4SNE	Ethernet	4	100	1	1	414x177x120	-
DN-119eh/4DNE	Ethernet	4	100	1	2	414x177x120	-
DN-119eh/5SNE	Ethernet	5	100	1	1	504x177x120	-
DN-119eh/5DNE	Ethernet	5	100	1	2	504x177x120	-
DN-119eh/6SNE	Ethernet	6	100	1	1	594x177x120	-
DN-119eh/6DNE	Ethernet	6	100	1	2	594x177x120	-
DN-119eh/7SNE	Ethernet	7	100	1	1	684x177x120	-
DN-119eh/7DNE	Ethernet	7	100	1	2	684x177x120	-
DN-119eh/8SNE	Ethernet	8	100	1	1	774x177x120	-
DN-119eh/8DNE	Ethernet	8	100	1	2	774x177x120	-
DN-119eh/9SNE	Ethernet	9	100	1	1	864x177x120	-
DN-119eh/9DNE	Ethernet	9	100	1	2	864x177x120	-
DN-119eh/10SNE	Ethernet	10	100	1	1	954x177x120	-
DN-119eh/10DNE	Ethernet	10	100	1	2	954x177x120	-

+TL	Option Text leds	+2	Models S		1	+180mm	
+TV	Option Text vinyl	+2	Models S		2	+180mm	
+TL	Option Text leds	+2	Models D		1	+180mm	
+TV	Option Text vinyl	+2	Models D		2	+180mm	

+24V	Option: Power supply 24Vcc						
------	----------------------------	--	--	--	--	--	--

MODEL	Control	Digits	Heigh character mm	Lines	Sides	Measures in mm	Progr. From PC
DN-129NE	Digit of 250mm.		Ethernet. INDOOR				
DN-129/2SNE	Ethernet	2	250	1	1	515x366x120	-
DN-129/2DNE	Ethernet	2	250	1	2	515x366x120	-
DN-129/3SNE	Ethernet	3	250	1	1	750x366x120	-
DN-129/3DNE	Ethernet	3	250	1	2	750x366x120	-
DN-129/4SNE	Ethernet	4	250	1	1	985x366x120	-
DN-129/4DNE	Ethernet	4	250	1	2	985x366x120	-
DN-129/5SNE	Ethernet	5	250	1	1	1220x366x120	-
DN-129/5DNE	Ethernet	5	250	1	2	1220x366x120	-
DN-129/6SNE	Ethernet	6	250	1	1	1455x366x120	-
DN-129/6DNE	Ethernet	6	250	1	2	1455x366x120	-
DN-129/7SNE	Ethernet	7	250	1	1	1690x366x120	-
DN-129/7DNE	Ethernet	7	250	1	2	1690x366x120	-
DN-129/8SNE	Ethernet	8	250	1	1	1925x366x120	-
DN-129/8DNE	Ethernet	8	250	1	2	1925x366x120	-
DN-129/9SNE	Ethernet	9	250	1	1	2160x366x120	-
DN-129/9DNE	Ethernet	9	250	1	2	2160x366x120	-
DN-129/10SNE	Ethernet	10	250	1	1	2395x366x120	-
DN-129/10DNE	Ethernet	10	250	1	2	2395x366x120	-

DN-129NE	Digit of 250mm.		Connect. Ethernet IP65. INDOOR				
DN-129/2SNEC65	Ethernet	2	250	1	1	515x366x120	-
DN-129/2DNEC65	Ethernet	2	250	1	2	515x366x120	-
DN-129/3SNEC65	Ethernet	3	250	1	1	750x366x120	-
DN-129/3DNEC65	Ethernet	3	250	1	2	750x366x120	-
DN-129/4SNEC65	Ethernet	4	250	1	1	985x366x120	-
DN-129/4DNEC65	Ethernet	4	250	1	2	985x366x120	-
DN-129/5SNEC65	Ethernet	5	250	1	1	1220x366x120	-
DN-129/5DNEC65	Ethernet	5	250	1	2	1220x366x120	-
DN-129/6SNEC65	Ethernet	6	250	1	1	1455x366x120	-
DN-129/6DNEC65	Ethernet	6	250	1	2	1455x366x120	-
DN-129/7SNEC65	Ethernet	7	250	1	1	1690x366x120	-
DN-129/7DNEC65	Ethernet	7	250	1	2	1690x366x120	-
DN-129/8SNEC65	Ethernet	8	250	1	1	1925x366x120	-
DN-129/8DNEC65	Ethernet	8	250	1	2	1925x366x120	-
DN-129/9SNEC65	Ethernet	9	250	1	1	2160x366x120	-
DN-129/9DNEC65	Ethernet	9	250	1	2	2160x366x120	-
DN-129/10SNEC65	Ethernet	10	250	1	1	2395x366x120	-
DN-129/10DNEC65	Ethernet	10	250	1	2	2395x366x120	-

DN-129ehNE	Digit of 250mm.		Connect. Ethernet IP54 OUTDOOR				
DN-129eh/2SNE	Ethernet	2	250	1	1	515x366x120	-
DN-129eh/2DNE	Ethernet	2	250	1	2	515x366x120	-
DN-129eh/3SNE	Ethernet	3	250	1	1	750x366x120	-
DN-129eh/3DNE	Ethernet	3	250	1	2	750x366x120	-
DN-129eh/4SNE	Ethernet	4	250	1	1	985x366x120	-
DN-129eh/4DNE	Ethernet	4	250	1	2	985x366x120	-
DN-129eh/5SNE	Ethernet	5	250	1	1	1220x366x120	-
DN-129eh/5DNE	Ethernet	5	250	1	2	1220x366x120	-
DN-129eh/6SNE	Ethernet	6	250	1	1	1455x366x120	-
DN-129eh/6DNE	Ethernet	6	250	1	2	1455x366x120	-
DN-129eh/7SNE	Ethernet	7	250	1	1	1690x366x120	-
DN-129eh/7DNE	Ethernet	7	250	1	2	1690x366x120	-
DN-129eh/8SNE	Ethernet	8	250	1	1	1925x366x120	-
DN-129eh/8DNE	Ethernet	8	250	1	2	1925x366x120	-
DN-129eh/9SNE	Ethernet	9	250	1	1	2160x366x120	-
DN-129eh/9DNE	Ethernet	9	250	1	2	2160x366x120	-
DN-129eh/10SNE	Ethernet	10	250	1	1	2395x366x120	-
DN-129eh/10DNE	Ethernet	10	250	1	2	2395x366x120	-

+TV	Option Text vinyl	+2	Models S		1	+470mm	
+TV	Option Text vinyl	+2	Models D		2	+470mm	

+24V	Option: Power supply 24Vcc						
------	----------------------------	--	--	--	--	--	--

DN-189NE	Digit of 180mm.		Ethernet. INDOOR				
DN-189/2SNE	Serial	2	180	1	1	340x251x120	-

MODEL	Control	Digits	Heigh character mm	Lines	Sides	Measures in mm	Progr. From PC
DN-189/2DNE	Serial	2	180	1	2	340x251x120	-
DN-189/3SNE	Serial	3	180	1	1	500x251x120	-
DN-189/3DNE	Serial	3	180	1	2	500x251x120	-
DN-189/4SNE	Serial	4	180	1	1	660x251x120	-
DN-189/4DNE	Serial	4	180	1	2	660x251x120	-
DN-189/5SNE	Serial	5	180	1	1	820x251x120	-
DN-189/5DNE	Serial	5	180	1	2	820x251x120	-
DN-189/6SNE	Serial	6	180	1	1	980x251x120	-
DN-189/6DNE	Serial	6	180	1	2	980x251x120	-
DN-189/7SNE	Serial	7	180	1	1	1140x251x120	-
DN-189/7DNE	Serial	7	180	1	2	1140x251x120	-
DN-189/8SNE	Serial	8	180	1	1	1300x251x120	-
DN-189/8DNE	Serial	8	180	1	2	1300x251x120	-
DN-189/9SNE	Serial	9	180	1	1	1460x251x120	-
DN-189/9DNE	Serial	9	180	1	2	1460x251x120	-
DN-189/10SNE	Serial	10	180	1	1	1620x251x120	-
DN-189/10DNE	Serial	10	180	1	2	1620x251x120	-

DN-189eNE		Digit of 180mm.		Ethernet IP65			
DN-189e/2SNE	Serial	2	180	1	1	340x251x120	-
DN-189e/2DNE	Serial	2	180	1	2	340x251x120	-
DN-189e/3SNE	Serial	3	180	1	1	500x251x120	-
DN-189e/3DNE	Serial	3	180	1	2	500x251x120	-
DN-189e/4SNE	Serial	4	180	1	1	660x251x120	-
DN-189e/4DNE	Serial	4	180	1	2	660x251x120	-
DN-189e/5SNE	Serial	5	180	1	1	820x251x120	-
DN-189e/5DNE	Serial	5	180	1	2	820x251x120	-
DN-189e/6SNE	Serial	6	180	1	1	980x251x120	-
DN-189e/6DNE	Serial	6	180	1	2	980x251x120	-
DN-189e/7SNE	Serial	7	180	1	1	1140x251x120	-
DN-189e/7DNE	Serial	7	180	1	2	1140x251x120	-
DN-189e/8SNE	Serial	8	180	1	1	1300x251x120	-
DN-189e/8DNE	Serial	8	180	1	2	1300x251x120	-
DN-189e/9SNE	Serial	9	180	1	1	1460x251x120	-
DN-189e/9DNE	Serial	9	180	1	2	1460x251x120	-
DN-189e/10SNE	Serial	10	180	1	1	1620x251x120	-
DN-189e/10DNE	Serial	10	180	1	2	1620x251x120	-

DN-189ehNE		Digit of 180mm.		Ethernet. OUTDOOR			
DN-189eh/2SNE	Serial	2	180	1	1	340x251x120	-
DN-189eh/2DNE	Serial	2	180	1	2	340x251x120	-
DN-189eh/3SNE	Serial	3	180	1	1	500x251x120	-
DN-189eh/3DNE	Serial	3	180	1	2	500x251x120	-
DN-189eh/4SNE	Serial	4	180	1	1	660x251x120	-
DN-189eh/4DNE	Serial	4	180	1	2	660x251x120	-
DN-189eh/5SNE	Serial	5	180	1	1	820x251x120	-
DN-189eh/5DNE	Serial	5	180	1	2	820x251x120	-
DN-189eh/6SNE	Serial	6	180	1	1	980x251x120	-
DN-189eh/6DNE	Serial	6	180	1	2	980x251x120	-
DN-189eh/7SNE	Serial	7	180	1	1	1140x251x120	-
DN-189eh/7DNE	Serial	7	180	1	2	1140x251x120	-
DN-189eh/8SNE	Serial	8	180	1	1	1300x251x120	-
DN-189eh/8DNE	Serial	8	180	1	2	1300x251x120	-
DN-189eh/9SNE	Serial	9	180	1	1	1460x251x120	-
DN-189eh/9DNE	Serial	9	180	1	2	1460x251x120	-
DN-189eh/10SNE	Serial	10	180	1	1	1620x251x120	-
DN-189eh/10DNE	Serial	10	180	1	2	1620x251x120	-

+TV	Option Text vinyl	+2	Models S		1	+320mm	
+TV	Option Text vinyl	+2	Models D		2	+320mm	

+24V	Option: Power supply 24Vcc						
------	----------------------------	--	--	--	--	--	--

MODEL	Control	Digits	Heigh character mm	Lines	Sides	Measures in mm	Progr. From PC
DN-109NP	Digit of 57mm.		Profibus-DP. INDOOR				
DN-109/3SNP	Profibus-DP	3	57	1	1	210x122x120	-
DN-109/3DNP	Profibus-DP	3	57	1	2	288x122x120	-
DN-109/4SNP	Profibus-DP	4	57	1	1	288x122x120	-
DN-109/4DNP	Profibus-DP	4	57	1	2	288x122x120	-
DN-109/5SNP	Profibus-DP	5	57	1	1	288x122x120	-
DN-109/5DNP	Profibus-DP	5	57	1	2	288x122x120	-
DN-109/6SNP	Profibus-DP	6	57	1	1	336x122x120	-
DN-109/6DNP	Profibus-DP	6	57	1	2	336x122x120	-
DN-109/7SNP	Profibus-DP	7	57	1	1	382x122x120	-
DN-109/7DNP	Profibus-DP	7	57	1	2	382x122x120	-
DN-109/8SNP	Profibus-DP	8	57	1	1	430x122x120	-
DN-109/8DNP	Profibus-DP	8	57	1	2	430x122x120	-
DN-109/9SNP	Profibus-DP	9	57	1	1	478x122x120	-
DN-109/9DNP	Profibus-DP	9	57	1	2	478x122x120	-
DN-109/10SNP	Profibus-DP	10	57	1	1	526x122x120	-
DN-109/10DNP	Profibus-DP	10	57	1	2	526x122x120	-

DN-109CNP	57mm COLOR		Profibus-DP. INDOOR				
DN-109C/3SNP	Profibus-DP	3	57	1	1	210x122x120	-
DN-109C/3DNP	Profibus-DP	3	57	1	2	288x122x120	-
DN-109C/4SNP	Profibus-DP	4	57	1	1	288x122x120	-
DN-109C/4DNP	Profibus-DP	4	57	1	2	288x122x120	-
DN-109C/5SNP	Profibus-DP	5	57	1	1	288x122x120	-
DN-109C/5DNP	Profibus-DP	5	57	1	2	288x122x120	-
DN-109C/6SNP	Profibus-DP	6	57	1	1	336x122x120	-
DN-109C/6DNP	Profibus-DP	6	57	1	2	336x122x120	-
DN-109C/7SNP	Profibus-DP	7	57	1	1	382x122x120	-
DN-109C/7DNP	Profibus-DP	7	57	1	2	382x122x120	-
DN-109C/8SNP	Profibus-DP	8	57	1	1	430x122x120	-
DN-109C/8DNP	Profibus-DP	8	57	1	2	430x122x120	-
DN-109C/9SNP	Profibus-DP	9	57	1	1	478x122x120	-
DN-109C/9DNP	Profibus-DP	9	57	1	2	478x122x120	-
DN-109C/10SNP	Profibus-DP	10	57	1	1	526x122x120	-
DN-109C/10DNP	Profibus-DP	10	57	1	2	526x122x120	-

DN-109eNP	Digit of 57mm.		Profibus IP65				
DN-109e/3SNP	Profibus DP	3	57	1	1	210x122x120	-
DN-109e/3DNP	Profibus DP	3	57	1	2	288x122x120	-
DN-109e/4SNP	Profibus DP	4	57	1	1	288x122x120	-
DN-109e/4DNP	Profibus DP	4	57	1	2	288x122x120	-
DN-109e/5SNP	Profibus DP	5	57	1	1	288x122x120	-
DN-109e/5DNP	Profibus DP	5	57	1	2	288x122x120	-
DN-109e/6SNP	Profibus DP	6	57	1	1	336x122x120	-
DN-109e/6DNP	Profibus DP	6	57	1	2	336x122x120	-
DN-109e/7SNP	Profibus DP	7	57	1	1	382x122x120	-
DN-109e/7DNP	Profibus DP	7	57	1	2	382x122x120	-
DN-109e/8SNP	Profibus DP	8	57	1	1	430x122x120	-
DN-109e/8DNP	Profibus DP	8	57	1	2	430x122x120	-
DN-109e/9SNP	Profibus DP	9	57	1	1	478x122x120	-
DN-109e/9DNP	Profibus DP	9	57	1	2	478x122x120	-
DN-109e/10SNP	Profibus DP	10	57	1	1	526x122x120	-
DN-109e/10DNP	Profibus DP	10	57	1	2	526x122x120	-

MODEL	Control	Digits	Heigh character mm	Lines	Sides	Measures in mm	Progr. From PC
DN-109CeNP		57mm COLOR		Profibus IP65			
DN-109Ce/3SNP	Profibus DP	3	57	1	1	210x122x120	-
DN-109Ce/3DNP	Profibus DP	3	57	1	2	288x122x120	-
DN-109Ce/4SNP	Profibus DP	4	57	1	1	288x122x120	-
DN-109Ce/4DNP	Profibus DP	4	57	1	2	288x122x120	-
DN-109Ce/5SNP	Profibus DP	5	57	1	1	288x122x120	-
DN-109Ce/5DNP	Profibus DP	5	57	1	2	288x122x120	-
DN-109Ce/6SNP	Profibus DP	6	57	1	1	336x122x120	-
DN-109Ce/6DNP	Profibus DP	6	57	1	2	336x122x120	-
DN-109Ce/7SNP	Profibus DP	7	57	1	1	382x122x120	-
DN-109Ce/7DNP	Profibus DP	7	57	1	2	382x122x120	-
DN-109Ce/8SNP	Profibus DP	8	57	1	1	430x122x120	-
DN-109Ce/8DNP	Profibus DP	8	57	1	2	430x122x120	-
DN-109Ce/9SNP	Profibus DP	9	57	1	1	478x122x120	-
DN-109Ce/9DNP	Profibus DP	9	57	1	2	478x122x120	-
DN-109Ce/10SNP	Profibus DP	10	57	1	1	526x122x120	-
DN-109Ce/10DNP	Profibus DP	10	57	1	2	526x122x120	-

+TL	Option Text leds	+2	Models S		1	+96mm	
+TV	Option Text vinyl	+2	Models S		1	+96mm	
+TL	Option Text leds	+2	Models D		2	+96mm	
+TV	Option Text vinyl	+2	Models D		2	+96mm	

+24V	Option: Power supply 24Vcc						
------	----------------------------	--	--	--	--	--	--

DN-119NP		Digit of 100mm.		Profibus-DP. INDOOR			
DN-119/3SNP	Profibus-DP	3	100	1	1	324x177x120	-
DN-119/3DNP	Profibus-DP	3	100	1	2	414x177x120	-
DN-119/4SNP	Profibus-DP	4	100	1	1	414x177x120	-
DN-119/4DNP	Profibus-DP	4	100	1	2	414x177x120	-
DN-119/5SNP	Profibus-DP	5	100	1	1	504x177x120	-
DN-119/5DNP	Profibus-DP	5	100	1	2	504x177x120	-
DN-119/6SNP	Profibus-DP	6	100	1	1	594x177x120	-
DN-119/6DNP	Profibus-DP	6	100	1	2	594x177x120	-
DN-119/7SNP	Profibus-DP	7	100	1	1	684x177x120	-
DN-119/7DNP	Profibus-DP	7	100	1	2	684x177x120	-
DN-119/8SNP	Profibus-DP	8	100	1	1	774x177x120	-
DN-119/8DNP	Profibus-DP	8	100	1	2	774x177x120	-
DN-119/9SNP	Profibus-DP	9	100	1	1	864x177x120	-
DN-119/9DNP	Profibus-DP	9	100	1	2	864x177x120	-
DN-119/10SNP	Profibus-DP	10	100	1	1	954x177x120	-
DN-119/10DNP	Profibus-DP	10	100	1	2	954x177x120	-

DN-119CNP		100mm COLOR		Profibus-DP. INDOOR			
DN-119C/3SNP	Profibus-DP	3	100	1	1	324x177x120	-
DN-119C/3DNP	Profibus-DP	3	100	1	2	414x177x120	-
DN-119C/4SNP	Profibus-DP	4	100	1	1	414x177x120	-
DN-119C/4DNP	Profibus-DP	4	100	1	2	414x177x120	-
DN-119C/5SNP	Profibus-DP	5	100	1	1	504x177x120	-
DN-119C/5DNP	Profibus-DP	5	100	1	2	504x177x120	-
DN-119C/6SNP	Profibus-DP	6	100	1	1	594x177x120	-
DN-119C/6DNP	Profibus-DP	6	100	1	2	594x177x120	-
DN-119C/7SNP	Profibus-DP	7	100	1	1	684x177x120	-
DN-119C/7DNP	Profibus-DP	7	100	1	2	684x177x120	-
DN-119C/8SNP	Profibus-DP	8	100	1	1	774x177x120	-
DN-119C/8DNP	Profibus-DP	8	100	1	2	774x177x120	-
DN-119C/9SNP	Profibus-DP	9	100	1	1	864x177x120	-
DN-119C/9DNP	Profibus-DP	9	100	1	2	864x177x120	-
DN-119C/10SNP	Profibus-DP	10	100	1	1	954x177x120	-
DN-119C/10DNP	Profibus-DP	10	100	1	2	954x177x120	-

MODEL	Control	Digits	Heigh character mm	Lines	Sides	Measures in mm	Progr. From PC
DN-119eNP		Digit of 100mm.		Profibus IP65			
DN-119e/3SNP	Profibus DP	3	100	1	1	324x177x120	-
DN-119e/3DNP	Profibus DP	3	100	1	3	414x177x120	-
DN-119e/4SNP	Profibus DP	4	100	1	1	414x177x120	-
DN-119e/4DNP	Profibus DP	4	100	1	2	414x177x120	-
DN-119e/5SNP	Profibus DP	5	100	1	1	504x177x120	-
DN-119e/5DNP	Profibus DP	5	100	1	2	504x177x120	-
DN-119e/6SNP	Profibus DP	6	100	1	1	594x177x120	-
DN-119e/6DNP	Profibus DP	6	100	1	2	594x177x120	-
DN-119e/7SNP	Profibus DP	7	100	1	1	684x177x120	-
DN-119e/7DNP	Profibus DP	7	100	1	2	684x177x120	-
DN-119e/8SNP	Profibus DP	8	100	1	1	774x177x120	-
DN-119e/8DNP	Profibus DP	8	100	1	2	774x177x120	-
DN-119e/9SNP	Profibus DP	9	100	1	1	864x177x120	-
DN-119e/9DNP	Profibus DP	9	100	1	2	864x177x120	-
DN-119e/10SNP	Profibus DP	10	100	1	1	954x177x120	-
DN-119e/10DNP	Profibus DP	10	100	1	2	954x177x120	-

DN-119CeNP		100mm COLOR		Profibus IP65			
DN-119Ce/3SNP	Profibus DP	3	100	1	1	324x177x120	-
DN-119Ce/3DNP	Profibus DP	3	100	1	3	414x177x120	-
DN-119Ce/4SNP	Profibus DP	4	100	1	1	414x177x120	-
DN-119Ce/4DNP	Profibus DP	4	100	1	2	414x177x120	-
DN-119Ce/5SNP	Profibus DP	5	100	1	1	504x177x120	-
DN-119Ce/5DNP	Profibus DP	5	100	1	2	504x177x120	-
DN-119Ce/6SNP	Profibus DP	6	100	1	1	594x177x120	-
DN-119Ce/6DNP	Profibus DP	6	100	1	2	594x177x120	-
DN-119Ce/7SNP	Profibus DP	7	100	1	1	684x177x120	-
DN-119Ce/7DNP	Profibus DP	7	100	1	2	684x177x120	-
DN-119Ce/8SNP	Profibus DP	8	100	1	1	774x177x120	-
DN-119Ce/8DNP	Profibus DP	8	100	1	2	774x177x120	-
DN-119Ce/9SNP	Profibus DP	9	100	1	1	864x177x120	-
DN-119Ce/9DNP	Profibus DP	9	100	1	2	864x177x120	-
DN-119Ce/10SNP	Profibus DP	10	100	1	1	954x177x120	-
DN-119Ce/10DNP	Profibus DP	10	100	1	2	954x177x120	-

DN-119ehNP		Digit of 100mm.		Profibus-DP. OUTDOOR			
DN-119eh/3SNP	Profibus DP	3	100	1	1	324x177x120	-
DN-119eh/3DNP	Profibus DP	3	100	1	2	414x177x120	-
DN-119eh/4SNP	Profibus DP	4	100	1	1	414x177x120	-
DN-119eh/4DNP	Profibus DP	4	100	1	2	414x177x120	-
DN-119eh/5SNP	Profibus DP	5	100	1	1	504x177x120	-
DN-119eh/5DNP	Profibus DP	5	100	1	2	504x177x120	-
DN-119eh/6SNP	Profibus DP	6	100	1	1	594x177x120	-
DN-119eh/6DNP	Profibus DP	6	100	1	2	594x177x120	-
DN-119eh/7SNP	Profibus DP	7	100	1	1	684x177x120	-
DN-119eh/7DNP	Profibus DP	7	100	1	2	684x177x120	-
DN-119eh/8SNP	Profibus DP	8	100	1	1	774x177x120	-
DN-119eh/8DNP	Profibus DP	8	100	1	2	774x177x120	-
DN-119eh/9SNP	Profibus DP	9	100	1	1	864x177x120	-
DN-119eh/9DNP	Profibus DP	9	100	1	2	864x177x120	-
DN-119eh/10SNP	Profibus DP	10	100	1	1	954x177x120	-
DN-119eh/10DNP	Profibus DP	10	100	1	2	954x177x120	-

+TL	Option Text leds	+2	Models S		1	+180mm	
+TV	Option Text vinyl	+2	Models S		2	+180mm	
+TL	Option Text leds	+2	Models D		1	+180mm	
+TV	Option Text vinyl	+2	Models D		2	+180mm	

+24V	Option: Power supply 24Vcc						
------	----------------------------	--	--	--	--	--	--

MODEL	Control	Digits	Heigh character mm	Lines	Sides	Measures in mm	Progr. From PC
-------	---------	--------	--------------------	-------	-------	----------------	----------------

DN-129NP		Digit of 250mm.		Profibus-DP. INDOOR			
DN-129/2SNP	Profibus-DP	2	250	1	1	515x366x120	-
DN-129/2DNP	Profibus-DP	2	250	1	2	515x366x120	-
DN-129/3SNP	Profibus-DP	3	250	1	1	750x366x120	-
DN-129/3DNP	Profibus-DP	3	250	1	2	750x366x120	-
DN-129/4SNP	Profibus-DP	4	250	1	1	985x366x120	-
DN-129/4DNP	Profibus-DP	4	250	1	2	985x366x120	-
DN-129/5SNP	Profibus-DP	5	250	1	1	1220x366x120	-
DN-129/5DNP	Profibus-DP	5	250	1	2	1220x366x120	-
DN-129/6SNP	Profibus-DP	6	250	1	1	1455x366x120	-
DN-129/6DNP	Profibus-DP	6	250	1	2	1455x366x120	-
DN-129/7SNP	Profibus-DP	7	250	1	1	1690x366x120	-
DN-129/7DNP	Profibus-DP	7	250	1	2	1690x366x120	-
DN-129/8SNP	Profibus-DP	8	250	1	1	1925x366x120	-
DN-129/8DNP	Profibus-DP	8	250	1	2	1925x366x120	-
DN-129/9SNP	Profibus-DP	9	250	1	1	2160x366x120	-
DN-129/9DNP	Profibus-DP	9	250	1	2	2160x366x120	-
DN-129/10SNP	Profibus-DP	10	250	1	1	2395x366x120	-
DN-129/10DNP	Profibus-DP	10	250	1	2	2395x366x120	-

+TV	Option Text vinyl	+2	Models S		1	+470mm	
+TV	Option Text vinyl	+2	Models D		2	+470mm	

+24V	Option: Power supply 24Vcc						
------	----------------------------	--	--	--	--	--	--

DN-189NP		Digit of 180mm.		Profibus-DP. INDOOR			
DN-189/2SNP	Serial	2	180	1	1	340x251x120	-
DN-189/2DNP	Serial	2	180	1	2	340x251x120	-
DN-189/3SNP	Serial	3	180	1	1	500x251x120	-
DN-189/3DNP	Serial	3	180	1	2	500x251x120	-
DN-189/4SNP	Serial	4	180	1	1	660x251x120	-
DN-189/4DNP	Serial	4	180	1	2	660x251x120	-
DN-189/5SNP	Serial	5	180	1	1	820x251x120	-
DN-189/5DNP	Serial	5	180	1	2	820x251x120	-
DN-189/6SNP	Serial	6	180	1	1	980x251x120	-
DN-189/6DNP	Serial	6	180	1	2	980x251x120	-
DN-189/7SNP	Serial	7	180	1	1	1140x251x120	-
DN-189/7DNP	Serial	7	180	1	2	1140x251x120	-
DN-189/8SNP	Serial	8	180	1	1	1300x251x120	-
DN-189/8DNP	Serial	8	180	1	2	1300x251x120	-
DN-189/9SNP	Serial	9	180	1	1	1460x251x120	-
DN-189/9DNP	Serial	9	180	1	2	1460x251x120	-
DN-189/10SNP	Serial	10	180	1	1	1620x251x120	-
DN-189/10DNP	Serial	10	180	1	2	1620x251x120	-

DN-189eNP		Digit of 180mm.		Profibus IP65			
DN-189e/2SNP	Serial	2	180	1	1	340x251x120	-
DN-189e/2DNP	Serial	2	180	1	2	340x251x120	-
DN-189e/3SNP	Serial	3	180	1	1	500x251x120	-
DN-189e/3DNP	Serial	3	180	1	2	500x251x120	-
DN-189e/4SNP	Serial	4	180	1	1	660x251x120	-
DN-189e/4DNP	Serial	4	180	1	2	660x251x120	-
DN-189e/5SNP	Serial	5	180	1	1	820x251x120	-
DN-189e/5DNP	Serial	5	180	1	2	820x251x120	-
DN-189e/6SNP	Serial	6	180	1	1	980x251x120	-
DN-189e/6DNP	Serial	6	180	1	2	980x251x120	-
DN-189e/7SNP	Serial	7	180	1	1	1140x251x120	-
DN-189e/7DNP	Serial	7	180	1	2	1140x251x120	-
DN-189e/8SNP	Serial	8	180	1	1	1300x251x120	-
DN-189e/8DNP	Serial	8	180	1	2	1300x251x120	-
DN-189e/9SNP	Serial	9	180	1	1	1460x251x120	-
DN-189e/9DNP	Serial	9	180	1	2	1460x251x120	-
DN-189e/10SNP	Serial	10	180	1	1	1620x251x120	-
DN-189e/10DNP	Serial	10	180	1	2	1620x251x120	-

DN-189ehNP		Digit of 180mm.		Profibus-DP. OUTDOOR			
DN-189eh/2SNP	Serial	2	180	1	1	340x251x120	-

MODEL	Control	Digits	Heigh character mm	Lines	Sides	Measures in mm	Progr. From PC
DN-189eh/2DNP	Serial	2	180	1	2	340x251x120	-
DN-189eh/3SNP	Serial	3	180	1	1	500x251x120	-
DN-189eh/3DNP	Serial	3	180	1	2	500x251x120	-
DN-189eh/4SNP	Serial	4	180	1	1	660x251x120	-
DN-189eh/4DNP	Serial	4	180	1	2	660x251x120	-
DN-189eh/5SNP	Serial	5	180	1	1	820x251x120	-
DN-189eh/5DNP	Serial	5	180	1	2	820x251x120	-
DN-189eh/6SNP	Serial	6	180	1	1	980x251x120	-
DN-189eh/6DNP	Serial	6	180	1	2	980x251x120	-
DN-189eh/7SNP	Serial	7	180	1	1	1140x251x120	-
DN-189eh/7DNP	Serial	7	180	1	2	1140x251x120	-
DN-189eh/8SNP	Serial	8	180	1	1	1300x251x120	-
DN-189eh/8DNP	Serial	8	180	1	2	1300x251x120	-
DN-189eh/9SNP	Serial	9	180	1	1	1460x251x120	-
DN-189eh/9DNP	Serial	9	180	1	2	1460x251x120	-
DN-189eh/10SNP	Serial	10	180	1	1	1620x251x120	-
DN-189eh/10DNP	Serial	10	180	1	2	1620x251x120	-

+TV	Option Text vinyl	+2	Models S		1	+320mm	
+TV	Option Text vinyl	+2	Models D		2	+320mm	

+24V	Option: Power supply 24Vcc						
------	----------------------------	--	--	--	--	--	--

MODEL	Control	Digits	Heigh character mm	Lines	Sides	Measures in mm	Progr. From PC
DN-109NW		Digit of 57mm.		Wifi. INDOOR			
DN-109/3SNW	Wifi	3	57	1	1	210x122x120	-
DN-109/3DNW	Wifi	3	57	1	2	288x122x120	-
DN-109/4SNW	Wifi	4	57	1	1	288x122x120	-
DN-109/4DNW	Wifi	4	57	1	2	288x122x120	-
DN-109/5SNW	Wifi	5	57	1	1	288x122x120	-
DN-109/5DNW	Wifi	5	57	1	2	288x122x120	-
DN-109/6SNW	Wifi	6	57	1	1	336x122x120	-
DN-109/6DNW	Wifi	6	57	1	2	336x122x120	-
DN-109/7SNW	Wifi	7	57	1	1	382x122x120	-
DN-109/7DNW	Wifi	7	57	1	2	382x122x120	-
DN-109/8SNW	Wifi	8	57	1	1	430x122x120	-
DN-109/8DNW	Wifi	8	57	1	2	430x122x120	-
DN-109/9SNW	Wifi	9	57	1	1	478x122x120	-
DN-109/9DNW	Wifi	9	57	1	2	478x122x120	-
DN-109/10SNW	Wifi	10	57	1	1	526x122x120	-
DN-109/10DNW	Wifi	10	57	1	2	526x122x120	-

DN-109CNW		57mm COLOR		Wifi. INDOOR			
DN-109C/3SNW	Wifi	3	57	1	1	210x122x120	-
DN-109C/3DNW	Wifi	3	57	1	2	288x122x120	-
DN-109C/4SNW	Wifi	4	57	1	1	288x122x120	-
DN-109C/4DNW	Wifi	4	57	1	2	288x122x120	-
DN-109C/5SNW	Wifi	5	57	1	1	288x122x120	-
DN-109C/5DNW	Wifi	5	57	1	2	288x122x120	-
DN-109C/6SNW	Wifi	6	57	1	1	336x122x120	-
DN-109C/6DNW	Wifi	6	57	1	2	336x122x120	-
DN-109C/7SNW	Wifi	7	57	1	1	382x122x120	-
DN-109C/7DNW	Wifi	7	57	1	2	382x122x120	-
DN-109C/8SNW	Wifi	8	57	1	1	430x122x120	-
DN-109C/8DNW	Wifi	8	57	1	2	430x122x120	-
DN-109C/9SNW	Wifi	9	57	1	1	478x122x120	-
DN-109C/9DNW	Wifi	9	57	1	2	478x122x120	-
DN-109C/10SNW	Wifi	10	57	1	1	526x122x120	-
DN-109C/10DNW	Wifi	10	57	1	2	526x122x120	-

DN-109eNW		Digit of 57mm.		Wifi. IP65			
DN-109e/3SNW	Wifi	3	57	1	1	210x122x120	-
DN-109e/3DNW	Wifi	3	57	1	2	288x122x120	-
DN-109e/4SNW	Wifi	4	57	1	1	288x122x120	-
DN-109e/4DNW	Wifi	4	57	1	2	288x122x120	-
DN-109e/5SNW	Wifi	5	57	1	1	288x122x120	-
DN-109e/5DNW	Wifi	5	57	1	2	288x122x120	-
DN-109e/6SNW	Wifi	6	57	1	1	336x122x120	-
DN-109e/6DNW	Wifi	6	57	1	2	336x122x120	-
DN-109e/7SNW	Wifi	7	57	1	1	382x122x120	-
DN-109e/7DNW	Wifi	7	57	1	2	382x122x120	-
DN-109e/8SNW	Wifi	8	57	1	1	430x122x120	-
DN-109e/8DNW	Wifi	8	57	1	2	430x122x120	-
DN-109e/9SNW	Wifi	9	57	1	1	478x122x120	-
DN-109e/9DNW	Wifi	9	57	1	2	478x122x120	-
DN-109e/10SNW	Wifi	10	57	1	1	526x122x120	-
DN-109e/10DNW	Wifi	10	57	1	2	526x122x120	-

MODEL	Control	Digits	Heigh character mm	Lines	Sides	Measures in mm	Progr. From PC
DN-109CeNW 57mm COLOR Wifi. IP65							
DN-109Ce/3SNW	Wifi	3	57	1	1	210x122x120	-
DN-109Ce/3DNW	Wifi	3	57	1	2	288x122x120	-
DN-109Ce/4SNW	Wifi	4	57	1	1	288x122x120	-
DN-109Ce/4DNW	Wifi	4	57	1	2	288x122x120	-
DN-109Ce/5SNW	Wifi	5	57	1	1	288x122x120	-
DN-109Ce/5DNW	Wifi	5	57	1	2	288x122x120	-
DN-109Ce/6SNW	Wifi	6	57	1	1	336x122x120	-
DN-109Ce/6DNW	Wifi	6	57	1	2	336x122x120	-
DN-109Ce/7SNW	Wifi	7	57	1	1	382x122x120	-
DN-109Ce/7DNW	Wifi	7	57	1	2	382x122x120	-
DN-109Ce/8SNW	Wifi	8	57	1	1	430x122x120	-
DN-109Ce/8DNW	Wifi	8	57	1	2	430x122x120	-
DN-109Ce/9SNW	Wifi	9	57	1	1	478x122x120	-
DN-109Ce/9DNW	Wifi	9	57	1	2	478x122x120	-
DN-109Ce/10SNW	Wifi	10	57	1	1	526x122x120	-
DN-109Ce/10DNW	Wifi	10	57	1	2	526x122x120	-

+TL	Option Text leds	+2	Models S		1	+96mm	
+TV	Option Text vinyl	+2	Models S		1	+96mm	
+TL	Option Text leds	+2	Models D		2	+96mm	
+TV	Option Text vinyl	+2	Models D		2	+96mm	

+24V	Option: Power supply 24Vcc						
------	----------------------------	--	--	--	--	--	--

DN-119NW Digit of 100mm. Wifi. INDOOR							
DN-119/3SNW	Wifi	3	100	1	1	324x177x120	-
DN-119/3DNW	Wifi	3	100	1	2	414x177x120	-
DN-119/4SNW	Wifi	4	100	1	1	414x177x120	-
DN-119/4DNW	Wifi	4	100	1	2	414x177x120	-
DN-119/5SNW	Wifi	5	100	1	1	504x177x120	-
DN-119/5DNW	Wifi	5	100	1	2	504x177x120	-
DN-119/6SNW	Wifi	6	100	1	1	594x177x120	-
DN-119/6DNW	Wifi	6	100	1	2	594x177x120	-
DN-119/7SNW	Wifi	7	100	1	1	684x177x120	-
DN-119/7DNW	Wifi	7	100	1	2	684x177x120	-
DN-119/8SNW	Wifi	8	100	1	1	774x177x120	-
DN-119/8DNW	Wifi	8	100	1	2	774x177x120	-
DN-119/9SNW	Wifi	9	100	1	1	864x177x120	-
DN-119/9DNW	Wifi	9	100	1	2	864x177x120	-
DN-119/10SNW	Wifi	10	100	1	1	954x177x120	-
DN-119/10DNW	Wifi	10	100	1	2	954x177x120	-

DN-119CNW 100mm COLOR Wifi. INDOOR							
DN-119C/3SNW	Wifi	3	100	1	1	324x177x120	-
DN-119C/3DNW	Wifi	3	100	1	2	414x177x120	-
DN-119C/4SNW	Wifi	4	100	1	1	414x177x120	-
DN-119C/4DNW	Wifi	4	100	1	2	414x177x120	-
DN-119C/5SNW	Wifi	5	100	1	1	504x177x120	-
DN-119C/5DNW	Wifi	5	100	1	2	504x177x120	-
DN-119C/6SNW	Wifi	6	100	1	1	594x177x120	-
DN-119C/6DNW	Wifi	6	100	1	2	594x177x120	-
DN-119C/7SNW	Wifi	7	100	1	1	684x177x120	-
DN-119C/7DNW	Wifi	7	100	1	2	684x177x120	-
DN-119C/8SNW	Wifi	8	100	1	1	774x177x120	-
DN-119C/8DNW	Wifi	8	100	1	2	774x177x120	-
DN-119C/9SNW	Wifi	9	100	1	1	864x177x120	-
DN-119C/9DNW	Wifi	9	100	1	2	864x177x120	-
DN-119C/10SNW	Wifi	10	100	1	1	954x177x120	-
DN-119C/10DNW	Wifi	10	100	1	2	954x177x120	-

MODEL	Control	Digits	Heigh character mm	Lines	Sides	Measures in mm	Progr. From PC
DN-119eNW		Digit of 100mm.		Wifi. IP65			
DN-119e/3SNW	Wifi	3	100	1	1	324x177x120	-
DN-119e/3DNW	Wifi	3	100	1	2	414x177x120	-
DN-119e/4SNW	Wifi	4	100	1	1	414x177x120	-
DN-119e/4DNW	Wifi	4	100	1	2	414x177x120	-
DN-119e/5SNW	Wifi	5	100	1	1	504x177x120	-
DN-119e/5DNW	Wifi	5	100	1	2	504x177x120	-
DN-119e/6SNW	Wifi	6	100	1	1	594x177x120	-
DN-119e/6DNW	Wifi	6	100	1	2	594x177x120	-
DN-119e/7SNW	Wifi	7	100	1	1	684x177x120	-
DN-119e/7DNW	Wifi	7	100	1	2	684x177x120	-
DN-119e/8SNW	Wifi	8	100	1	1	774x177x120	-
DN-119e/8DNW	Wifi	8	100	1	2	774x177x120	-
DN-119e/9SNW	Wifi	9	100	1	1	864x177x120	-
DN-119e/9DNW	Wifi	9	100	1	2	864x177x120	-
DN-119e/10SNW	Wifi	10	100	1	1	954x177x120	-
DN-119e/10DNW	Wifi	10	100	1	2	954x177x120	-

DN-119CeNW		100mm COLOR		Wifi. IP65			
DN-119Ce/3SNW	Wifi	3	100	1	1	324x177x120	-
DN-119Ce/3DNW	Wifi	3	100	1	2	414x177x120	-
DN-119Ce/4SNW	Wifi	4	100	1	1	414x177x120	-
DN-119Ce/4DNW	Wifi	4	100	1	2	414x177x120	-
DN-119Ce/5SNW	Wifi	5	100	1	1	504x177x120	-
DN-119Ce/5DNW	Wifi	5	100	1	2	504x177x120	-
DN-119Ce/6SNW	Wifi	6	100	1	1	594x177x120	-
DN-119Ce/6DNW	Wifi	6	100	1	2	594x177x120	-
DN-119Ce/7SNW	Wifi	7	100	1	1	684x177x120	-
DN-119Ce/7DNW	Wifi	7	100	1	2	684x177x120	-
DN-119Ce/8SNW	Wifi	8	100	1	1	774x177x120	-
DN-119Ce/8DNW	Wifi	8	100	1	2	774x177x120	-
DN-119Ce/9SNW	Wifi	9	100	1	1	864x177x120	-
DN-119Ce/9DNW	Wifi	9	100	1	2	864x177x120	-
DN-119Ce/10SNW	Wifi	10	100	1	1	954x177x120	-
DN-119Ce/10DNW	Wifi	10	100	1	2	954x177x120	-

DN-119ehNW		Digit of 100mm.		Wifi. OUTDOOR			
DN-119eh/3SNW	Wifi	3	100	1	1	324x177x120	-
DN-119eh/3DNW	Wifi	3	100	1	2	414x177x120	-
DN-119eh/4SNW	Wifi	4	100	1	1	414x177x120	-
DN-119eh/4DNW	Wifi	4	100	1	2	414x177x120	-
DN-119eh/5SNW	Wifi	5	100	1	1	504x177x120	-
DN-119eh/5DNW	Wifi	5	100	1	2	504x177x120	-
DN-119eh/6SNW	Wifi	6	100	1	1	594x177x120	-
DN-119eh/6DNW	Wifi	6	100	1	2	594x177x120	-
DN-119eh/7SNW	Wifi	7	100	1	1	684x177x120	-
DN-119eh/7DNW	Wifi	7	100	1	2	684x177x120	-
DN-119eh/8SNW	Wifi	8	100	1	1	774x177x120	-
DN-119eh/8DNW	Wifi	8	100	1	2	774x177x120	-
DN-119eh/9SNW	Wifi	9	100	1	1	864x177x120	-
DN-119eh/9DNW	Wifi	9	100	1	2	864x177x120	-
DN-119eh/10SNW	Wifi	10	100	1	1	954x177x120	-
DN-119eh/10DNW	Wifi	10	100	1	2	954x177x120	-

+TL	Option Text leds	+2	Models S		1	+180mm	
+TV	Option Text vinyl	+2	Models S		2	+180mm	
+TL	Option Text leds	+2	Models D		1	+180mm	
+TV	Option Text vinyl	+2	Models D		2	+180mm	

+24V	Option: Power supply 24Vcc						
------	----------------------------	--	--	--	--	--	--

MODEL	Control	Digits	Heigh character mm	Lines	Sides	Measures in mm	Progr. From PC
-------	---------	--------	--------------------	-------	-------	----------------	----------------

DN-129NW		Digit of 250mm.		Wifi. INDOOR			
DN-129/2SNW	Wifi	2	250	1	1	515x366x120	-
DN-129/2DNW	Wifi	2	250	1	2	515x366x120	-
DN-129/3SNW	Wifi	3	250	1	1	750x366x120	-
DN-129/3DNW	Wifi	3	250	1	2	750x366x120	-
DN-129/4SNW	Wifi	4	250	1	1	985x366x120	-
DN-129/4DNW	Wifi	4	250	1	2	985x366x120	-
DN-129/5SNW	Wifi	5	250	1	1	1220x366x120	-
DN-129/5DNW	Wifi	5	250	1	2	1220x366x120	-
DN-129/6SNW	Wifi	6	250	1	1	1455x366x120	-
DN-129/6DNW	Wifi	6	250	1	2	1455x366x120	-
DN-129/7SNW	Wifi	7	250	1	1	1690x366x120	-
DN-129/7DNW	Wifi	7	250	1	2	1690x366x120	-
DN-129/8SNW	Wifi	8	250	1	1	1925x366x120	-
DN-129/8DNW	Wifi	8	250	1	2	1925x366x120	-
DN-129/9SNW	Wifi	9	250	1	1	2160x366x120	-
DN-129/9DNW	Wifi	9	250	1	2	2160x366x120	-
DN-129/10SNW	Wifi	10	250	1	1	2395x366x120	-
DN-129/10DNW	Wifi	10	250	1	2	2395x366x120	-

+TV	Option Text vinyl	+2	Models S		1	+470mm	
+TV	Option Text vinyl	+2	Models D		2	+470mm	

+24V	Option: Power supply 24Vcc						
------	----------------------------	--	--	--	--	--	--

DN-189NW		Digit of 180mm.		Wifi. INDOOR			
DN-189/2SNW	Serial	2	180	1	1	340x251x120	-
DN-189/2DNW	Serial	2	180	1	2	340x251x120	-
DN-189/3SNW	Serial	3	180	1	1	500x251x120	-
DN-189/3DNW	Serial	3	180	1	2	500x251x120	-
DN-189/4SNW	Serial	4	180	1	1	660x251x120	-
DN-189/4DNW	Serial	4	180	1	2	660x251x120	-
DN-189/5SNW	Serial	5	180	1	1	820x251x120	-
DN-189/5DNW	Serial	5	180	1	2	820x251x120	-
DN-189/6SNW	Serial	6	180	1	1	980x251x120	-
DN-189/6DNW	Serial	6	180	1	2	980x251x120	-
DN-189/7SNW	Serial	7	180	1	1	1140x251x120	-
DN-189/7DNW	Serial	7	180	1	2	1140x251x120	-
DN-189/8SNW	Serial	8	180	1	1	1300x251x120	-
DN-189/8DNW	Serial	8	180	1	2	1300x251x120	-
DN-189/9SNW	Serial	9	180	1	1	1460x251x120	-
DN-189/9DNW	Serial	9	180	1	2	1460x251x120	-
DN-189/10SNW	Serial	10	180	1	1	1620x251x120	-
DN-189/10DNW	Serial	10	180	1	2	1620x251x120	-

DN-189eNW		Digit of 180mm.		Wifi. IP65			
DN-189e/2SNW	Serial	2	180	1	1	340x251x120	-
DN-189e/2DNW	Serial	2	180	1	2	340x251x120	-
DN-189e/3SNW	Serial	3	180	1	1	500x251x120	-
DN-189e/3DNW	Serial	3	180	1	2	500x251x120	-
DN-189e/4SNW	Serial	4	180	1	1	660x251x120	-
DN-189e/4DNW	Serial	4	180	1	2	660x251x120	-
DN-189e/5SNW	Serial	5	180	1	1	820x251x120	-
DN-189e/5DNW	Serial	5	180	1	2	820x251x120	-
DN-189e/6SNW	Serial	6	180	1	1	980x251x120	-
DN-189e/6DNW	Serial	6	180	1	2	980x251x120	-
DN-189e/7SNW	Serial	7	180	1	1	1140x251x120	-
DN-189e/7DNW	Serial	7	180	1	2	1140x251x120	-
DN-189e/8SNW	Serial	8	180	1	1	1300x251x120	-
DN-189e/8DNW	Serial	8	180	1	2	1300x251x120	-
DN-189e/9SNW	Serial	9	180	1	1	1460x251x120	-
DN-189e/9DNW	Serial	9	180	1	2	1460x251x120	-
DN-189e/10SNW	Serial	10	180	1	1	1620x251x120	-
DN-189e/10DNW	Serial	10	180	1	2	1620x251x120	-

DN-189ehNW		Digit of 180mm.		Wifi. OUTDOOR			
DN-189eh/2SNW	Serial	2	180	1	1	340x251x120	-

MODEL	Control	Digits	Heigh character mm	Lines	Sides	Measures in mm	Progr. From PC
DN-189eh/2DNW	Serial	2	180	1	2	340x251x120	-
DN-189eh/3SNW	Serial	3	180	1	1	500x251x120	-
DN-189eh/3DNW	Serial	3	180	1	2	500x251x120	-
DN-189eh/4SNW	Serial	4	180	1	1	660x251x120	-
DN-189eh/4DNW	Serial	4	180	1	2	660x251x120	-
DN-189eh/5SNW	Serial	5	180	1	1	820x251x120	-
DN-189eh/5DNW	Serial	5	180	1	2	820x251x120	-
DN-189eh/6SNW	Serial	6	180	1	1	980x251x120	-
DN-189eh/6DNW	Serial	6	180	1	2	980x251x120	-
DN-189eh/7SNW	Serial	7	180	1	1	1140x251x120	-
DN-189eh/7DNW	Serial	7	180	1	2	1140x251x120	-
DN-189eh/8SNW	Serial	8	180	1	1	1300x251x120	-
DN-189eh/8DNW	Serial	8	180	1	2	1300x251x120	-
DN-189eh/9SNW	Serial	9	180	1	1	1460x251x120	-
DN-189eh/9DNW	Serial	9	180	1	2	1460x251x120	-
DN-189eh/10SNW	Serial	10	180	1	1	1620x251x120	-
DN-189eh/10DNW	Serial	10	180	1	2	1620x251x120	-

+TV	Option Text vinyl	+2	Models S		1	+320mm	
+TV	Option Text vinyl	+2	Models D		2	+320mm	

+24V	Option: Power supply 24Vcc						
------	----------------------------	--	--	--	--	--	--

MODEL	Control	Digits	Heigh character mm	Lines	Sides	Measures in mm	Progr. From PC
DN-109RL		Digit of 57mm.		Days since last LTA			
DN-109/3SRL1	Binary	3	57	1	1	250x170x120	-
DN-109/3DRL1	Binary	3	57	1	3	250x170x120	-
DN-119RL		Digit of 100mm.		Days since last LTA			
DN-119/3SRL1	Binary	3	100	1	1	380x270x120	-
DN-119/3DRL1	Binari	3	100	1	2	380x270x120	-
DN-129RL		Digit of 250mm.		Days since last LTA			
DN-129/3SRL1	Binary	3	250	1	1	750x600x120	-
DN-129/3DRL1	Binary	3	250	1	2	750x600x120	-
DN-189RL		Digit of 180mm.		Days since last LTA			
DN-189/3SRL1	Binary	3	250	1	1	500x430x120	-
DN-189/3DRL1	Binary	3	250	1	2	500x430x120	-
OP-24VDC	Option: Power supply 24Vcc						

Text language

Catala
Español
Frances
Angles

MODEL	Control	Digits	Heigh character mm	Lines	Sides	Measures in mm	Progr. From PC
DR-105	Clock Indoor						
	RDS Receiver	Temp. + hum.					
DR-105	No	No	50	No		240x120x60	
DR-105/A	Yes	No	50	No		240x120x60	
DR-105/TH	No	Yes	50	No		240x120x60	
DR-105/X	No	No	50	Yes		240x120x60	
DR-105/ATH	Yes	Yes	50	No		240x120x60	
DR-105/AX	Yes	No	50	Yes		240x120x60	
DR-105/THX	No	Yes	50	Yes		240x120x60	
DR-105/ATHX	Yes	Yes	50	Yes		240x120x60	

DR-105e	Clock Outdoor (IP-65)						
	RDS Receiver	Temp. + hum.					
DR-105e	No	No	50	No		240x120x60	
DR-105e/A	Yes	No	50	No		240x120x60	
DR-105e/TH	No	Yes	50	No		240x120x60	
DR-105e/X	No	No	50	Yes		240x120x60	
DR-105e/ATH	Yes	Yes	50	No		240x120x60	
DR-105e/AX	Yes	No	50	Yes		240x120x60	
DR-105e/THX	No	Yes	50	Yes		240x120x60	
DR-105e/ATHX	Yes	Yes	50	Yes		240x120x60	

CABLES AND ACCESSORIES FOR DISPLAYS MULTILINE

SC-105C	Programming cable for DT-105, DT-110 and DT-203 displays
CONV485	Converter RS 232 / RS 485

SPARE PARTS

SAP-3V	Power connector for 230V AC
SAP-4V	Power connector for 24V DC
ESC2P	2 brackets + 2 knobs
STH-2M	Probe TH 2m
STH-5M	Probe TH 5m